

CONTRACT AWARD	
CK09MERCER2018-10 REBID OF UNIFORMS FOR MERCER COUNTY SHERIFF'S OFFICERS, CORRECTION'S OFFICERS AND BID OPENING JULY 12, 2018	
CONTRACT TERM: AUGUST 10, 2018 THROUGH AUGUST 11, 2020	RESOLUTION NO. 2018-405
NAME OF BIDDER	SAMZIE'S UNIFORMS
ADDRESS	28 SCOTCH ROAD
CITY, STATE, ZIP	EWING, NJ 08628
CONTACT	PAUL WARREN
TELEPHONE	609 883 2811
FAX	609 883 3133
E-MAIL	INFO@SAMZIESUNIFORMS.COM
GRAND TOTAL SHERIFF	\$ 125,017.85
GRAND TOTAL CORRECTIONS	\$ 92,881.90
GRAND TOTAL PROSECUTOR	\$ 6,201.43
TOTAL	\$ 224,101.18

SHERIFF'S UNIFORMS			
QUANTITY	DESCRIPTION	UNIT COST	EXTENDED COST
			SAMZIES
40	Class "A" Trooper Hat	\$ 59.00	2,360.00
	Class "A" Long Sleeve Shirt – Male		
40	Neck Size 17-1/2 or smaller	\$ 61.00	2,440.00
20	Neck Size 18 or larger	\$ 67.00	1,340.00
	Class "A" Long Sleeve Shirt – Female		
10	Size 32 to 44 Regular	\$ 61.00	610.00
5	Size 46 to 52	\$ 67.00	335.00
	Class "A" Short Sleeve Shirt – Male		
40	Neck Size 17-1/2 or smaller	\$ 55.00	2,200.00
20	Neck Size 18 or larger	\$ 60.00	1,200.00
	Class "A" Short Sleeve Shirt – Female		
10	Size 32 to 44 Regular	\$ 55.00	550.00
5	Size 46 to 52	\$ 60.00	300.00
	Class "A" Long Sleeve Shirt (Supervisor) – Male		
15	Neck Size 17-1/2 or smaller	\$ 38.00	570.00
5	Neck Size 18 or larger	\$ 42.00	210.00
	Class "A" Long Sleeve Shirt (Supervisor) – Female		
4	Size 32 to 44 Regular	\$ 38.00	152.00
2	Size 46 to 52	\$ 42.00	84.00
	Class "A" Short Sleeve Shirt (Supervisor) – Male		
15	Neck Size 17-1/2 or smaller	\$ 35.00	525.00
5	Neck Size 18 or larger	\$ 39.00	195.00
	Class "A" Short Sleeve Shirt (Supervisor) – Female		
4	Size 32 to 44 Regular	\$ 35.00	140.00
2	Size 46 to 52	\$ 39.00	78.00
	Class "A" Trousers		
40	Waist Size 28 to 42	\$ 80.27	3,210.80
20	Waist Size 44 or Larger	\$ 88.30	1,766.00
40	Class "B" Utility Hat	\$10.50	420.00
	Class "B" Long Sleeve Shirt – Male		
40	Neck Size 17-1/2 or smaller	\$ 55.00	2,200.00
20	Neck Size 18 or larger	\$ 60.50	1,210.00
	Class "B" Long Sleeve Shirt – Female		
10	Size 32 to 44 Regular	\$ 55.00	550.00
5	Size 46 to 52	\$ 60.50	302.50
	Class "B" Short Sleeve Shirt – Male		
40	Neck Size 17-1/2 or smaller	\$ 51.00	2,040.00
20	Neck Size 18 or larger	\$ 56.10	1,122.00
	Class "B" Short Sleeve Shirt – Female		
10	Size 32 to 44 Regular	\$ 51.00	510.00
5	Size 46 to 52	\$ 56.10	280.50
	Class "B" Trousers		
40	Waist Size 28 to 42	\$ 55.00	2,200.00
20	Waist Size 44 or Larger	\$ 60.50	1,210.00
	Short Sleeve K-9 Polo Shirt		
30	Small - Large	\$ 48.00	1,440.00
30	XL – 3XL	\$ 53.00	1,590.00
	SERT Tactical Long Sleeve Shirt		
30	XS - Large	\$ 41.00	1,230.00
30	XL – 6XL	\$ 45.00	1,350.00
	SERT Tactical Trousers		
30	XS - Large	\$ 38.00	1,140.00
30	XL – 6XL	\$ 42.00	1,260.00
40	Winter Hat	\$ 19.63	785.20
	Winter Duty Jacket		
30	Size 34 to 46	\$ 231.00	6,930.00
10	Size 48 to 52	\$ 254.10	2,541.00
	Class "A" Blouse Coat		
10	Size 34 to 46	\$ 325.23	3,252.30
5	Size 48 to 52	\$ 357.75	1,788.75
	Class "A" Double Breasted Overcoat		
10	Size 36 to 46	\$ 143.00	1,430.00
5	Size 48 to 54	\$ 157.00	785.00
15	Class "A" Motorcycle Crush Hat	\$ 42.00	630.00
	Class "A" Motorcycle Breeches		
10	Size 28 to 42	\$ 270.00	2,700.00
5	Size 44 or Larger	\$ 297.00	1,485.00
	Class "A" Motorcycle Leather Coat		
8	Small – Large	\$ 364.00	2,912.00
7	XL – 3XL	\$ 400.00	2,800.00
	Sweater		
8	Small – Large	\$ 73.00	584.00
7	XL – 3XL	\$ 80.00	560.00
	Turtleneck		
30	Small – Large	\$ 27.00	810.00
30	XL – 3XL	\$ 30.00	900.00

	Class "A" Motorcycle Leather Coat		
8	Small - Large	\$ 364.00	2,912.00
7	XL - 3XL	\$ 400.00	2,800.00
	Sweater		
8	Small - Large	\$ 73.00	584.00
7	XL - 3XL	\$ 80.00	560.00
	Turtleneck		
30	Small - Large	\$ 27.00	810.00
30	XL - 3XL	\$ 30.00	900.00
40	Class "A" Reversible Hat Cover	\$ 8.34	333.60
	Reversible Raincoat		
30	Size 34 to 46	\$ 122.00	3,660.00
10	Size 48 to 52	\$ 134.20	1,342.00
	Reversible Duty Jacket		
30	Size 34 to 46	\$ 149.00	4,470.00
10	Size 48 to 52	\$ 163.90	1,639.00
40	Class "A" Tie	\$ 4.00	160.00
60	Class "A" Fully Lined Duty Belt	\$ 43.00	2,580.00
15	Class "A" Single Ply Duty Belt	\$ 45.00	675.00
15	Class "A" Cross Strap	\$ 23.00	345.00
60	Class "A" Inner Belt	\$ 9.00	540.00
60	Class "A" Keeper Loops	\$ 3.50	210.00
60	Class "A" Level III Duty Holster	\$ 164.00	9,840.00
60	Class "A" O.C. Spray Holder	\$ 28.00	1,680.00
60	Class "A" Handcuff Case with Brass Snap	\$ 28.00	1,680.00
15	Class "A" Handcuff Case with Hidden Snap	\$ 30.37	455.55
60	Class "A" Double Magazine Case with Brass Snaps	\$ 36.20	2,172.00
15	Class "A" Double Magazine Case with Hidden Snaps	\$ 35.09	526.35
60	Class "A" PR24 Baton Holder	\$ 8.75	525.00
60	Class "A" Uniform Badge	\$ 110.63	6,637.80
60	Class "A" Hat Badge	\$ 49.00	2,940.00
40	Class "A" Name Plate	\$ 8.50	340.00
40	Class "A" Whistle, Hook, & Chain	\$ 6.00	240.00
15	Class "A" Buckle Chukkas	\$ 119.38	1,790.70
15	Class "A" Motorcycle Boots		NO BID
60	SERT Tactical Boots	\$ 73.00	4,380.00
40	Inclement Weather Overshoes	\$ 50.67	2,026.80
60	High Visibility Traffic Vest	\$ 31.75	1,905.00
ACADEMY UNIFORM			
20	STYLE 874NJ NAVY DICKIES TROUSER	\$23.00	460.00
20	STYLE 574NV NAVY DICKIES LONG SLEEVE SHIRT	\$30.00	600.00
20	Class "A" Tie	\$4.00	80.00
20	Black Belt 1-1/2" width w/nickle color buckle	\$9.00	180.00
20	Pair Black Military Type Dress Shoes	\$61.00	1,220.00
20	Black Baseball Style Hat Flex-Fit	\$8.50	170.00
	TOTAL		\$ 125,017.85

CORRECTION OFFICER'S UNIFORMS			
QUANTITY	DESCRIPTION	UNIT COST	EXTENDED COST
		SAMZIE'S	
	DUTY UNIFORM		
	DUTY UNIFORM TROUSERS		
75	S – XL	52.43	3,932.25
45	2XL - 4XL	57.67	2,595.15
	Brand/Style No.		
	LONG SLEEVE SHIRT		
75	S – XL	48.00	3,600.00
45	2XL - 4XL	52.80	2,376.00
	Brand/Style No.		
	SHORT SLEEVE SHIRT		
75	S – XL	42.00	3,150.00
45	2XL - 4XL	46.20	2,079.00
	Brand/Style No.		
	MEN TACTICAL POLO SHIRTS - SHORT SLEEVE		
4	Sizes L - XL	31.00	124.00
6	Sizes 2X - 3X	34.00	204.00
	MEN TACTICAL POLO SHIRTS - LONG SLEEVE		
4	Sizes L - XL	34.00	136.00
6	Sizes 2X - 3X	37.00	222.00
	WATERPROOF / BREATHABLE DUTY JACKET		
25	S – XL		-
15	2XL - 4XL		-
	Brand/Style No.		
	DUTY JACKET		
25	S – XL	105.00	2,625.00
15	2XL - 4XL	117.00	1,755.00
	Brand/Style No. SPIEWAK S3616		
	DUTY JACK LINER		
25	S – XL	88.00	2,200.00
15	2XL - 4XL	94.00	1,410.00
	Brand/Style No. SPIEWAK S3818Z		
40	BASEBALL CAP	10.50	420.00
	Brand/Style No.		
40	DRESS HAT	45.00	1,800.00
	Brand/Style No.		KEYSTONE
40	LEATHER TOP STRAP W/ SILVER BUCKLE	9.00	360.00
	Brand/Style No.		
40	HAT BADGE	22.00	880.00
50	BLUE EMBROIDERED WATCH CAP	15.50	775.00
	Brand/Style No.		BLAUER 125
40	NECK TIE	4.00	160.00
	Brand/Style No.		BROOME
30	MEN BOOTS	109.00	3,270.00
10	WOMEN BOOTS	109.00	1,090.00
	Brand/Style No.		BATES
40	BELT	9.00	360.00
	Brand/Style No.		
30	MEN SHOES	72.00	2,160.00
10	WOMEN SHOES	72.00	720.00
	Brand/Style No.		BATES/22233
	CLASS B TROUSER, BLAUER 8819-7A NO SUBSTITUE		
75	S – XL	55.00	4,125.00
45	2XL - 4XL	60.50	2,722.50
	Brand/Style No. Blauer 8819 -7A		
	CLASS B TROUSER, 5.11 TACTICAL W/ FRENCH BLUE STRIP		
60	S – XL	68.57	4,114.20
50	2XL - 4XL	75.43	3,771.50
	CLASS B TROUSER, ELBCO W/ FRENCH BLUE STRIP		
60	S – XL	53.07	3,184.20
50	2XL - 4XL	58.38	2,919.00
	LONG SLEEVE CLASS B SHIRT, BLAUER 8703-7A, NO SUBSTITUTE		

	CLASS B TROUSER, 5.11 TACTICAL W/ FRENCH BLUE STRIP		
60	S - XL	68.57	4,114.20
50	2XL - 4XL	75.43	3,771.50
	CLASS B TROUSER, ELBCO W/ FRENCH BLUE STRIP		
60	S - XL	53.07	3,184.20
50	2XL - 4XL	58.38	2,919.00
	LONG SLEEVE CLASS B SHIRT, BLAUER 8703-7A, NO SUBSTITUTE		
75	S - XL	58.00	3,975.00
45	2XL - 4XL	63.80	2,623.50
	Brand/Style No. Blauer 8703-7A		
	SHORT SLEEVE CLASS B SHIRT, BLAUER 8713-7A, NO SUBSTITUTE		
75	S - XL	53.00	3,975.00
45	2XL - 4XL	58.30	2,623.50
	Brand/Style No. Blauer 8713-7A		
	ACADEMY UNIFORM		
60	STYLE 874NJ NAVY DICKIES TROUSER	23.00	1,380.00
60	STYLE 574NV NAVY DICKIES LONG SLEEVE SHIRT	30.00	1,800.00
60	TAN DICKIES TROUSER	20.00	1,200.00
60	TAN DICKIES LONG SLEEVE SHIRT	18.50	1,110.00
60	GRAY PANTS W/CREASE	23.00	1,380.00
60	GRAY SHIRT W/ MILITARY CREASE	30.00	1,800.00
60	BLACK BDU PANT	30.00	1,800.00
	STYLE 973 JERZEE ACADEMY SWEATPANTS		
75	S - XL	21.00	1,575.00
45	2XL - 4XL	23.10	1,039.50
	STYLE 562 JERZEE ACADEMY SWEATSHIRT		
75	S - XL	19.39	1,454.25
45	2XL - 4XL	21.33	959.85
	STYLE G200 GILDAN ACADEMY T-SHIRT		
75	S - XL	15.00	1,125.00
45	2XL - 4XL	16.50	742.50
	STYLE M036 SOFFE ACADEMY GYM SHORTS		
75	S - XL	17.00	1,275.00
45	2XL - 4XL	18.70	841.50
40	STYLE 6477 NAVY FLEX-FIT CAP	8.50	340.00
	TOTAL		\$ 92,881.90

PROSECUTOR'S OFFICE UNIFORMS			
QUANTITY	DESCRIPTION	UNIT COST	EXTENDED COST
		SAMZIE'S	
	5.11 – 3 IN 1 PARKA		
3	S – XL	\$ 192.00	576.00
2	2X - 4XL	\$ 211.00	422.00
	Brand/Style No.		
	5.11 – 5 IN 1 JACKET		
3	S – XL	\$ 207.00	621.00
2	2X - 4XL	\$ 216.24	432.48
	Brand/Style No.		
	FLEECE JACKET		
3	S – XL		
2	2X - 4XL		
	Brand/Style No.		
	ANSI 207 VEST		
3	S – XL	\$ 12.49	37.47
2	2X - 4XL	\$ 13.74	27.48
	Brand/Style No. SAFETY FLAG C2ANSI-GN		
	FLEECE LINER		
3	XS – XL		
2	2X - 4XL		
	Brand/Style No.		
5	BOOTS	\$ 185.00	925.00
	Brand/Style No.	DANNER 43013 (42980 DISCONT)	
	STYLE 74273 MEN TACTLITE PRO PANTS		
6	SIZE XS - XL	\$ 40.00	240.00
4	2XL - 3XL	\$ 44.00	176.00
	STYLE 74273 WOMEN TACTLITE PRO PANTS		
6	SIZE XS - XL	\$ 40.00	240.00
4	2XL - 3XL	\$ 44.00	176.00
	MEN 5.11 SHORT SLEEVE PROFESSIONAL POLO		
6	SIZE XS - XL	\$ 40.00	240.00
4	2XL - 3XL	\$ 44.00	176.00
	MEN TALL 5.11 SHORT SLEEVE PROFESSIONAL POLO		
6	SIZE L - XL	\$ 45.00	270.00
4	SIZE 2XL - 5XL	\$ 49.50	198.00
	WOMEN 5.11 SHORT SLEEVE PROFESSIONAL POLO		
6	SIZE S - L	\$ 40.00	240.00
4	SIZE XL	\$ 44.00	176.00
	MEN 5.11 LONG SLEEVE PROFESSIONAL POLO		
6	SIZE XS - XL	\$ 45.00	270.00
4	SIZE 2XL - 3XL	\$ 49.50	198.00
	MEN TALL LONG SLEEVE PROFESSIONAL POLO		
6	SIZE L - XL	\$ 54.00	324.00
4	SIZE 2XL - 5XL	\$ 59.00	236.00
	POLICE ID PANELS		
	TOTAL		6,201.43

SHERIFF'S UNIFORMS			
QUANTITY	DESCRIPTION	UNIT COST	EXTENDED COST
			SAMZIES
40	Class "A" Trooper Hat	\$ 59.00	2,360.00
	Class "A" Long Sleeve Shirt – Male		
40	Neck Size 17-1/2 or smaller	\$ 61.00	2,440.00
20	Neck Size 18 or larger	\$ 67.00	1,340.00
	Class "A" Long Sleeve Shirt – Female		
10	Size 32 to 44 Regular	\$ 61.00	610.00
5	Size 46 to 52	\$ 67.00	335.00
	Class "A" Short Sleeve Shirt – Male		
40	Neck Size 17-1/2 or smaller	\$ 55.00	2,200.00
20	Neck Size 18 or larger	\$ 60.00	1,200.00
	Class "A" Short Sleeve Shirt – Female		
10	Size 32 to 44 Regular	\$ 55.00	550.00
5	Size 46 to 52	\$ 60.00	300.00
	Class "A" Long Sleeve Shirt (Supervisor) – Male		
15	Neck Size 17-1/2 or smaller	\$ 38.00	570.00
5	Neck Size 18 or larger	\$ 42.00	210.00
	Class "A" Long Sleeve Shirt (Supervisor) – Female		
4	Size 32 to 44 Regular	\$ 38.00	152.00
2	Size 46 to 52	\$ 42.00	84.00
	Class "A" Short Sleeve Shirt (Supervisor) – Male		
15	Neck Size 17-1/2 or smaller	\$ 35.00	525.00
5	Neck Size 18 or larger	\$ 39.00	195.00
	Class "A" Short Sleeve Shirt (Supervisor) – Female		
4	Size 32 to 44 Regular	\$ 35.00	140.00
2	Size 46 to 52	\$ 39.00	78.00
	Class "A" Trousers		
40	Waist Size 28 to 42	\$ 80.27	3,210.80
20	Waist Size 44 or Larger	\$ 88.30	1,766.00
40	Class "B" Utility Hat	\$10.50	420.00
	Class "B" Long Sleeve Shirt – Male		
40	Neck Size 17-1/2 or smaller	\$ 55.00	2,200.00
20	Neck Size 18 or larger	\$ 60.50	1,210.00
	Class "B" Long Sleeve Shirt – Female		
10	Size 32 to 44 Regular	\$ 55.00	550.00
5	Size 46 to 52	\$ 60.50	302.50
	Class "B" Short Sleeve Shirt – Male		
40	Neck Size 17-1/2 or smaller	\$ 51.00	2,040.00
20	Neck Size 18 or larger	\$ 56.10	1,122.00
	Class "B" Short Sleeve Shirt – Female		
10	Size 32 to 44 Regular	\$ 51.00	510.00
5	Size 46 to 52	\$ 56.10	280.50
	Class "B" Trousers		
40	Waist Size 28 to 42	\$ 55.00	2,200.00
20	Waist Size 44 or Larger	\$ 60.50	1,210.00
	Short Sleeve K-9 Polo Shirt		
30	Small - Large	\$ 48.00	1,440.00
30	XL - 3XL	\$ 53.00	1,590.00

	SERT Tactical Long Sleeve Shirt		
30	XS - Large	\$ 41.00	1,230.00
30	XL - 6XL	\$ 45.00	1,350.00
	SERT Tactical Trousers		
30	XS - Large	\$ 38.00	1,140.00
30	XL - 6XL	\$ 42.00	1,260.00
40	Winter Hat	\$ 19.63	785.20
	Winter Duty Jacket		
30	Size 34 to 46	\$ 231.00	6,930.00
10	Size 48 to 52	\$ 254.10	2,541.00
	Class "A" Blouse Coat		
10	Size 34 to 46	\$ 325.23	3,252.30
5	Size 48 to 52	\$ 357.75	1,788.75
	Class "A" Double Breasted Overcoat		
10	Size 36 to 46	\$ 143.00	1,430.00
5	Size 48 to 54	\$ 157.00	785.00
15	Class "A" Motorcycle Crush Hat	\$ 42.00	630.00
	Class "A" Motorcycle Breeches		
10	Size 28 to 42	\$ 270.00	2,700.00
5	Size 44 or Larger	\$ 297.00	1,485.00
	Class "A" Motorcycle Leather Coat		
8	Small - Large	\$ 364.00	2,912.00
7	XL - 3XL	\$ 400.00	2,800.00
	Sweater		
8	Small - Large	\$ 73.00	584.00
7	XL - 3XL	\$ 80.00	560.00
	Turtleneck		
30	Small - Large	\$ 27.00	810.00
30	XL - 3XL	\$ 30.00	900.00
40	Class "A" Reversible Hat Cover	\$ 8.34	333.60
	Reversible Raincoat		
30	Size 34 to 46	\$ 122.00	3,660.00
10	Size 48 to 52	\$ 134.20	1,342.00
	Reversible Duty Jacket		
30	Size 34 to 46	\$ 149.00	4,470.00
10	Size 48 to 52	\$ 163.90	1,639.00
40	Class "A" Tie	\$ 4.00	160.00
60	Class "A" Fully Lined Duty Belt	\$ 43.00	2,580.00
15	Class "A" Single Ply Duty Belt	\$ 45.00	675.00
15	Class "A" Cross Strap	\$ 23.00	345.00
60	Class "A" Inner Belt	\$ 9.00	540.00
60	Class "A" Keeper Loops	\$ 3.50	210.00
60	Class "A" Level III Duty Holster	\$ 164.00	9,840.00
60	Class "A" O.C. Spray Holder	\$ 28.00	1,680.00
60	Class "A" Handcuff Case with Brass Snap	\$ 28.00	1,680.00
15	Class "A" Handcuff Case with Hidden Snap	\$ 30.37	455.55
60	Class "A" Double Magazine Case with Brass Snaps	\$ 36.20	2,172.00
15	Class "A" Double Magazine Case with Hidden Snaps	\$ 35.09	526.35
60	Class "A" PR24 Baton Holder	\$ 8.75	525.00
60	Class "A" Uniform Badge	\$ 110.63	6,637.80
60	Class "A" Hat Badge	\$ 49.00	2,940.00
40	Class "A" Name Plate	\$ 8.50	340.00
40	Class "A" Whistle, Hook, & Chain	\$ 6.00	240.00
15	Class "A" Buckle Chukkas	\$ 119.38	1,790.70
15	Class "A" Motorcycle Boots		NO BID
60	SERT Tactical Boots	\$ 73.00	4,380.00
40	Incliment Weather Overshoes	\$ 50.67	2,026.80
60	High Visibility Traffic Vest	\$ 31.75	1,905.00
ACADEMY UNIFORM			
20	STYLE 874NJ NAVY DICKIES TROUSER	\$23.00	460.00
20	STYLE 574NV NAVY DICKIES LONG SLEEVE SHIRT	\$30.00	600.00
20	Class "A" Tie	\$4.00	80.00
20	Black Belt 1-1/2" width w/nickle color buckle	\$9.00	180.00
20	Pair Black Military Type Dress Shoes	\$61.00	1,220.00
20	Black Baseball Style Hat Flex-Fit	\$8.50	170.00
	TOTAL		\$ 125,017.85

CORRECTION OFFICER'S UNIFORMS			
QUANTITY	DESCRIPTION	UNIT COST	EXTENDED COST
		SAMZIE'S	
	DUTY UNIFORM		
	DUTY UNIFORM TROUSERS		
75	S - XL	52.43	3,932.25
45	2XL - 4XL	57.67	2,595.15
	Brand/Style No.		
	LONG SLEEVE SHIRT		
75	S - XL	48.00	3,600.00
45	2XL - 4XL	52.80	2,376.00
	Brand/Style No.		
	SHORT SLEEVE SHIRT		
75	S - XL	42.00	3,150.00
45	2XL - 4XL	46.20	2,079.00
	Brand/Style No.		
	MEN TACTICAL POLO SHIRTS - SHORT SLEEVE		
4	Sizes L - XL	31.00	124.00
6	Sizes 2X - 3X	34.00	204.00
	MEN TACTICAL POLO SHIRTS - LONG SLEEVE		
4	Sizes L - XL	34.00	136.00
6	Sizes 2X - 3X	37.00	222.00
	WATERPROOF / BREATHABLE DUTY JACKET		
25	S - XL		-
15	2XL - 4XL		-
	Brand/Style No.		
	DUTY JACKET		
25	S - XL	105.00	2,625.00
15	2XL - 4XL	117.00	1,755.00
	Brand/Style No. SPIEWAK S3616		
	DUTY JACK LINER		
25	S - XL	88.00	2,200.00
15	2XL - 4XL	94.00	1,410.00
	Brand/Style No. SPIEWAK S3818Z		
40	BASEBALL CAP	10.50	420.00
	Brand/Style No.		
40	DRESS HAT	45.00	1,800.00
	Brand/Style No.		
40	LEATHER TOP STRAP W/ SILVER BUCKLE	9.00	360.00
	Brand/Style No.		
40	HAT BADGE	22.00	880.00
50	BLUE EMBROIDERED WATCH CAP	15.50	775.00
	Brand/Style No.		
40	NECK TIE	4.00	160.00
	Brand/Style No.		
30	MEN BOOTS	109.00	3,270.00
10	WOMEN BOOTS	109.00	1,090.00
	Brand/Style No.		
40	BELT	9.00	360.00
	Brand/Style No.		
30	MEN SHOES	72.00	2,160.00
10	WOMEN SHOES	72.00	720.00
	Brand/Style No.		
	BATES/22233		
	CLASS B TROUSER, BLAUER 8819-7A NO SUBSTITUE		
75	S - XL	55.00	4,125.00
45	2XL - 4XL	60.50	2,722.50
	Brand/Style No. Blauer 8819 -7A		
	CLASS B TROUSER, 5.11 TACTICAL W/ FRENCH BLUE STRIP		
60	S - XL	68.57	4,114.20
50	2XL - 4XL	75.43	3,771.50
	CLASS B TROUSER, ELBCO W/ FRENCH BLUE STRIP		
60	S - XL	53.07	3,184.20
50	2XL - 4XL	58.38	2,919.00
	LONG SLEEVE CLASS B SHIRT, BLAUER 8703-7A, NO SUBSTITUTE		
75	S - XL	58.00	3,975.00
45	2XL - 4XL	63.80	2,623.50
	Brand/Style No. Blauer 8703-7A		
	SHORT SLEEVE CLASS B SHIRT, BLAUER 8713-7A, NO SUBSTITUTE		
75	S - XL	53.00	3,975.00
45	2XL - 4XL	58.30	2,623.50
	Brand/Style No. Blauer 8713-7A		

ACADEMY UNIFORM			
60	STYLE 874NJ NAVY DICKIES TROUSER	23.00	1,380.00
60	STYLE 574NV NAVY DICKIES LONG SLEEVE SHIRT	30.00	1,800.00
60	TAN DICKIES TROUSER	20.00	1,200.00
60	TAN DICKIES LONG SLEEVE SHIRT	18.50	1,110.00
60	GRAY PANTS W/ CREASE	23.00	1,380.00
60	GRAY SHIRT W/ MILITARY CREASE	30.00	1,800.00
60	BLACK BDU PANT	30.00	1,800.00
	STYLE 973 JERZEE ACADEMY SWEATPANTS		
75	S - XL	21.00	1,575.00
45	2XL - 4XL	23.10	1,039.50
	STYLE 562 JERZEE ACADEMY SWEATSHIRT		
75	S - XL	19.39	1,454.25
45	2XL - 4XL	21.33	959.85
	STYLE G200 GILDAN ACADEMY T-SHIRT		
75	S - XL	15.00	1,125.00
45	2XL - 4XL	16.50	742.50
	STYLE M036 SOFFE ACADEMY GYM SHORTS		
75	S - XL	17.00	1,275.00
45	2XL - 4XL	18.70	841.50
40	STYLE 6477 NAVY FLEX-FIT CAP	8.50	340.00
	TOTAL		\$ 92,881.90

PROSECUTOR'S OFFICE UNIFORMS			
QUANTITY	DESCRIPTION	UNIT COST	EXTENDED COST
			SAMZIE'S
	5.11 – 3 IN 1 PARKA		
3	S – XL	\$ 192.00	576.00
2	2X - 4XL	\$ 211.00	422.00
	Brand/Style No.		
	5.11 – 5 IN 1 JACKET		
3	S – XL	\$ 207.00	621.00
2	2X - 4XL	\$ 216.24	432.48
	Brand/Style No.		
	FLEECE JACKET		
3	S – XL		
2	2X - 4XL		
	Brand/Style No.		
	ANSI 207 VEST		
3	S – XL	\$ 12.49	37.47
2	2X - 4XL	\$ 13.74	27.48
	Brand/Style No. SAFETY FLAG C2ANSI-GN		
	FLEECE LINER		
3	XS – XL		
2	2X - 4XL		
	Brand/Style No.		
5	BOOTS	\$ 185.00	925.00
	Brand/Style No. DANNER 43013 (42980 DISCONT)		
	STYLE 74273 MEN TACTLITE PRO PANTS		
6	SIZE XS - XL	\$ 40.00	240.00
4	2XL - 3XL	\$ 44.00	176.00
	STYLE 74273 WOMEN TACTLITE PRO PANTS		
6	SIZE XS - XL	\$ 40.00	240.00
4	2XL - 3XL	\$ 44.00	176.00
	MEN 5.11 SHORT SLEEVE PROFESSIONAL POLO		
6	SIZE XS - XL	\$ 40.00	240.00
4	2XL - 3XL	\$ 44.00	176.00
	MEN TALL 5.11 SHORT SLEEVE PROFESSIONAL POLO		
6	SIZE L - XL	\$ 45.00	270.00
4	SIZE 2XL - 5XL	\$ 49.50	198.00
	WOMEN 5.11 SHORT SLEEVE PROFESSIONAL POLO		
6	SIZE S - L	\$ 40.00	240.00
4	SIZE XL	\$ 44.00	176.00
	MEN 5.11 LONG SLEEVE PROFESSIONAL POLO		
6	SIZE XS - XL	\$ 45.00	270.00
4	SIZE 2XL - 3XL	\$ 49.50	198.00
	MEN TALL LONG SLEEVE PROFESSIONAL POLO		
6	SIZE L - XL	\$ 54.00	324.00
4	SIZE 2XL - 5XL	\$ 59.00	236.00
	POLICE ID PANELS		
	TOTAL		6,201.43

Approved as to Form and Legality

Date

[Signature]
.....
County Counsel

SEPTEMBER 13, 2018
.....

AWARD OF BID RECEIVED JULY 12, 2018 TO SAMZIES UNIFORMS TO FURNISH AND DELIVER OFFICER'S UNIFORMS FOR THE OFFICE OF THE SHERIFF, PROSECUTOR AND THE CORRECTION CENTER FOR THE COUNTY OF MERCER AND THE MERCER COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM. PERIOD: AUGUST 10, 2018 THROUGH AUGUST 11, 2020. TOTAL AMOUNT NOT TO EXCEED: \$224,101.18 AS OPEN-END CONTRACTS (CK09MERCER2018-10)

WHEREAS, the Mercer County Purchasing Agent has advertised for bids to furnish and deliver officer's uniforms to the Office of the Sheriff, Prosecutor, and Mercer County Correction Center for use by Mercer County and the Mercer County Cooperative Contract Purchasing System, as per Resolution No. 2018-89, adopted February 8, 2018; and,

WHEREAS, two (2) separate sealed bids were received on July 12, 2018 in connection with the aforementioned services; and,

.....
Clerk to the Board

RECORD OF VOTE													
FREEHOLDER	Aye	Nay	N.V.	Abs.	Res.	Sec.	FREEHOLDER	Aye	Nay	N.V.	Abs.	Res.	Sec.
Cannon	X				✓		Koontz	X					✓
Cimino	X						Melker				X		
Colavita				X			Walter				X		
Frisby	X												

X—Indicates Vote Abs.—Absent N.V.—Not Voting
Res.—Resolution Moved Sec.—Resolution Seconded

- 2 -


WHEREAS, the bid of Samzie's Uniforms, 28 Scotch Road, Ewing, New Jersey, 08628, shall be awarded for a period of August 10, 2018 through August 11, 2018, based on the index rate in the amount of \$224,101.18; and,

WHEREAS, the bidders hereinafter designated are the lowest qualified bidders; and,

WHEREAS, the Chief Financial Officer of Mercer County has certified in writing the availability of funds for the purposes set forth in this Resolution; said certification is on file with the Clerk to the Board and funds are available in the 2018 Mercer County Budget and are contingent upon the inclusion in and adoption of the 2019 and 2020 Mercer County Budgets; now, therefore,

BE IT RESOLVED, that the County Executive and Clerk to the Board be and are hereby authorized to execute said contracts when presented in a form approved by County Counsel; and,

BE IT FURTHER RESOLVED, that the Clerk to the Board shall forward a copy of this Resolution to the Mercer County Purchasing Agent for further distribution.


.....
Clerk to the Board

**SPECIFICATIONS FOR UNIFORMS FOR THE MERCER COUNTY SHERIFF'S OFFICERS,
CORRECTION'S OFFICERS, PROSECUTOR'S OFFICERS AND
THE MERCER COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM
FOR A PERIOD OF TWO (2) YEARS**

INTENT

The County of Mercer requests bids for uniforms as specified for a period of two (2) years. It will be required that the successful bidder have a permanent walk-in site at all times during the contract period within 20 miles of the County of Mercer. The cost for measurements, tailoring and fittings are to be factored in to the bid price and vendors shall provide walk-in service between the hours of 8:30 AM through 5:00 PM, Monday through Friday. The County reserves the right to award multiple contracts based upon the low bid total for each agency. The County has attempted to identify required quantities; however, the county reserves the right to increase or decrease quantities per staffing requirements.

All bid prices must include fittings and alterations, and the furnishing and sewing on of all patches, emblems, nametapes, service stripes and chevrons. Garments not properly sewn, tailored and pressed will not be accepted. The contractor will be responsible for delivering the uniforms to the requesting location and ensuring that the uniforms are fitted correctly. All hanging garments must be delivered on hangers. All prices for items in bid are to be submitted F.O.B. Destination. Bidders shall assume all costs for the delivery of merchandise in good condition to the requesting agency.

Estimated Quantities (Open-End Contracts): The County has attempted to identify the item(s) and the estimated amounts of each item bid to cover its requirements; however, past experience shows that the amount ordered may be different than that submitted for bidding. The right is reserved to decrease or increase the quantities specified in the specifications pursuant to N.J.A.C. 5:30-11.2 and 11.10. **NO MINIMUM PURCHASE IS IMPLIED OR GUARANTEED.**

AWARD

Upon award, agencies will encumber funds and forward purchase orders to the awarded vendor. The awarded vendors must have a purchase order in-hand to fulfill orders.

SAMPLES

Samples are not required with the bid; however, prior to ordering, samples may be requested. Such samples must be furnished within ten working days of written request. If the sample is not in accordance with the requirements stated in the specifications, the County reserves the right to cancel the contract. Samples must be submitted free of charge and are non-returnable due to testing procedures. All samples are subject to testing.

The contractor will be responsible for any garments shipped that do not meet specifications or are not comparable to the sample(s) submitted. All returns will be at the contractor's expense.

All bid prices must include alterations, fittings and stitching or sewing on patches.

SUBSTITUTIONS

The County will accept the brands referenced or an equivalent.

**OFFICE OF THE SHERIFF
175 SOUTH BROAD STREET
P.O. BOX 8068
TRENTON, NEW JERSEY 08650-0068
CONTACT PERSON: CHIEF CHRISTOPHER KENYON (609) 310-3609**

It is the intent of the County of Mercer to purchase Officers uniforms for the Mercer County Sheriff's Office (MCSO) from a single vendor. All bid prices must include alterations, fittings and sewing on of patches. The awarded vendor will supply patches. Garments not properly sewn, tailored, and pressed will not be accepted. The contractor will be responsible for delivering the uniforms, clothing, and footwear to the County of Mercer and ensuring the uniforms, clothing, and footwear are fitted correctly. All hanging garments must be delivered on hangers.

VENDOR GENERAL REQUIREMENTS

Class "A" and "B" uniforms must be made available within one (1) week of ordering with the exception of "off-the-shelf" items. Facility must have a full tailor shop on premises. Vendor must supply all emblems at no additional charge. Vendor must keep supply of Mercer County Sheriff's Office emblems in stock. Vendor must supply all cloth badges and nametapes at no additional charge for Class B long sleeve, Class B short sleeve and SERT long sleeve uniform shirts. All prices must include all shipping and freight charges. No additional payment will be made for this service.

VENDOR MEASUREMENTS & FITTING

The successful bidder shall take individual measurements. Try on garments for all bid items must be available for each individual at time of measurement. Each uniform shall fit to the satisfaction of each individual. Male and Female sizes must be available for try-on. All alterations must be done at no extra charge to Sheriff's Office. All fittings shall be inspected by the Sheriff or his designated representatives and any discrepancies shall be decided solely by the Sheriff.

VENDOR PROXIMITY FOR FITTING

It will be required that the successful bidder have one or more permanent outlets at all times during the contract period within 20 miles of the Sheriff's Office main location. All fittings must take place at the Sheriff's Office headquarters or such place and times deemed convenient by the Sheriff's Office. Garments are to be individually pressed and delivered in hanging bags ready to wear with the officer's name in a conspicuous location on the outside of the bag.

VENDOR SUBMISSION OF ALTERNATE GARMENTS

All garments and trims must match existing Sheriff's Office uniforms exactly. Alternate samples must be supplied with the bid package.

MCSO CLASS "A" TROOPER HAT

Manufacturer

Sentry Uniform Cap Company, Inc.

Style Number

R-801 "Pershing" Trooper style

Color

Dark Navy

GENERAL REQUIREMENTS

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Fabric

The hat shall be made with Hamburger Woolen Dac/Wool material.

Trim

Buttons: Custom gold New Jersey buttons side of hat supplied by vendor.

Front Strap (Officers): Black plastic strap, approximately 1/2" in width.

Front Strap (Lieutenants & Above): Gold lace strap, approximately 1/2" in width.

Visor Decoration (Chiefs & Above): Gold "scrambled eggs" visor.

Top & Rear Straps: Black leather cross strap with gold buckle for adjustment.

Design and Construction

Hat: R-801 "Pershing" Trooper style hat with top lateral gold buckle adjustable black leather cross strap. Officer hats shall have 1/2" wide black plastic front strap just above the brim and attached at the side buttons. For ranking officers, that is Lieutenants and above, hats shall have 1/2" wide gold lace strap just above the brim and attached at the side. An optional gold buckle adjustable black leather cross strap (same as top cross strap) attached at side buttons and placed to rear for hat stability in windy conditions shall be available.

Visor: Visor-400 with approximate 1" drop. For ranking supervisors, that is Chief and above, gold a Visor-400 with approximate 1" drop and decorated "scrambled egg" visor.

Sweatband: The inner sweatband shall be non-foamed back first quality leather.

Badge Eyelet: One black metal "rivet" eyelet shall be located in top front portion of hat for hat badge placement.

Customization

Vendor shall maintain availability of hat sizes for proper officer fitment, and ensure proper officer fitment and decoration (e.g. front strap, visor) upon order fulfillment without additional charge to Sheriff's Office. The optional black leather rear cross strap with gold adjustable buckle shall be available.

MCSO CLASS "A" LONG SLEEVE SHIRT

Manufacturer

Blauer

Style Number

8450

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0304)

Fabric

8.5 oz. per linear yard plain weave polyester fabric with 10% stretch, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Lining: 100% Polyester Satin or 100% Polyester Taffeta.

Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton.

Hook and loop: Woven Nylon base.

Buttons: melamine, 20 ligne, matching shell fabric.

Design and Construction

Shirt: Long sleeve uniform shirt with 5 military style creases (see "Creases" below) and extra long shirt tails. The front of the shirt shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8"-1" apart. The center front shall contain six (6) vertical buttonholes (not including collar buttonhole) placed 3/4" from edge and 3-1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. In the back, there is to be yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Collar: Top fused, banded TT89 dress collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". Collar stand and yoke lined with polyester taffeta or satin. The stand shall fasten with one button. There shall be one horizontal button hole. The collar is to be single stitched 1/4" from edge.

Creases: Shirt to have permanent military creases. Creases are to be stitched in shirt only, not thru pockets and flaps. One crease is to be in each front extending from hem to joining seam. Three vertical creases are to be in back; middle crease on center back line; side back creases spaced equally from

center crease. Pockets and pocket flaps to be die creased to give uniform shape and size.

Pockets & Flaps: Two breast pockets with mitered corners, scalloped flaps, and hook and loop closures. Each breast pocket is to measure 5-1/2" wide, and 6-1/2" long (length: measured top of pocket flap to bottom center of pocket; actual pocket length is 5-7/8" long). The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading. To have two scalloped flaps to finish 5-3/4" wide, 2-5/8" long at center, and 2-1/4" long at sides. Flaps are to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The side points of the flaps are to be secured to the pockets by means of Velcro fasteners sewn onto the flaps and pockets. The left flap is to have a pencil opening about 1-1/4" in width. Flaps are to be interlined. There will be a matching button and a buttonhole sewn on the flap. The pockets and flaps shall be single stitched on the edge.

Sleeves: To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 2" wide. Button is to be placed on sleeve opening with corresponding buttonhole. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/4" to 1-1/2" above top of left flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps are to be set about 1/2" from the base of the collar stand. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

Sizing

Men's:

Body Length Regular: Sleeve Length: 32 sizes 14.5-17
Body Length Regular: Sleeve Length: 33 sizes 14.5-18.5
Body Length Regular: Sleeve Length: 34 sizes 15.5-18.5
Body Length Regular: Sleeve Length: 35 sizes 15.5-19.5
Body Length Tall: Sleeve Length: 37 sizes 16.5-19.5

Women's: Regular Length: even sizes 32 – 46

Measurements

Men's: Regular Length: Size 16.5:

Neck	17	(plus or minus 0.5 inches)
1/2 Chest:	25.25	(plus or minus 0.75 inches)
Back Length:	32.5	(plus or minus 0.5 inches)

Women's: Regular Length: Size 38

Neck	15.5	(plus or minus 0.5 inches)
1/2 Chest:	22	(plus or minus 0.75 inches)
Back Length:	28.5	(plus or minus 0.5 inches)

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO CLASS "A" SHORT SLEEVE SHIRT

Manufacturer

Blauer

Style Number

8460

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0305)

Fabric

8.5 oz. per linear yard plain weave polyester with 10% stretch, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Lining: 100% Polyester Satin or 100% Polyester Taffeta

Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton

Hook and loop: Woven Nylon base

Buttons: melamine, 20 ligne, matching shell fabric

Design and Construction

Shirt: Short sleeve uniform shirt with 5 military style creases (see "Creases" below) and extra long shirt tails. The front of the shirt shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8"-1" apart. The center front shall contain six (6) vertical buttonholes (not including collar buttonhole)

placed 3/4" from edge and 3-1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. In the back, there is to be yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Collar: Top fused, convertible sport collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". Collar stand and yoke lined with polyester taffeta or satin. The collar shall fasten with one button. There shall be one horizontal button hole. The collar is to be single stitched 1/4" from edge.

Creases: Shirt to have permanent military creases. Creases are to be stitched in shirt only, not thru pockets and flaps. One crease is to be in each front extending from hem to joining seam. Three vertical creases are to be in back; middle crease on center back line; side back creases spaced equally from center crease. Pockets and pocket flaps to be die creased to give uniform shape and size.

MCSO CLASS "A" SHORT SLEEVE SHIRT – CONT'D

Pockets & Flaps: Two breast pockets with mitered corners, scalloped flaps, and hook and loop closures. Each breast pocket is to measure 5-1/2" wide, and 6-1/2" long (length: measured top of pocket flap to bottom center of pocket; actual pocket length is 5-7/8" long). The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading. To have two scalloped flaps to finish 5-3/4" wide, 2-5/8" long at center, and 2-1/4" long at sides. Flaps are to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The side points of the flaps are to be secured to the pockets by means of Velcro fasteners sewn onto the flaps and pockets. The left flap is to have a pencil opening about 1-1/4" in width. Flaps are to be interlined. There will be a matching button and a buttonhole sewn on the flap. The pockets and flaps shall be single stitched on the edge.

Sleeves: To be straight and whole with 1" hem. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well. Sleeves shall be graded in length so as to finish from the shoulder seam as follows:

<u>Size</u>	<u>Finished Length</u>
14 and 14-1/2	9-1/2"
15, 15-1/2, and 16	10"
16-1/2 and above	10-1/2"

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the

yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/4" to 1-1/2" above top of left flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps are to be set about 3/4" from the base of the convertible sport collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

Sizing

Men's: Regular Body: 14.5-19.5

Women's: Regular Length: even sizes 32 – 46

Measurements

Men's: Regular Length: Size 16.5:

Neck	17	(plus or minus 0.5 inches)
1/2 Chest:	25.25	(plus or minus 0.75 inches)
Back Length:	32.5	(plus or minus 0.5 inches)

Women's: Regular Length: Size 38

Neck	15.5	(plus or minus 0.5 inches)
1/2 Chest:	22	(plus or minus 0.75 inches)
Back Length:	28.5	(plus or minus 0.5 inches)

Customization

Mercer County Sheriff Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO CLASS "A" LONG SLEEVE SHIRT (SUPERVISORS)

Manufacturer

Elbeco

Style Number

310

Color

White

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0304)

Fabric

Fabric to be 100% texturized polyester – tropical weave, 5.0–5.5 oz./square yard (9.5-10 oz./linear yard) with mechanical stretch; Elbeco Tex-Trop brand or equal only. To insure permanent moisture control and superior breathability, fabric

must be treated at fiber level with Nano moisture wicking technology. Fabric is soil resistance, easy care and wrinkle resistance, with excellent color matching and color retention.

Trim

Lining: 100% Polyester Satin or 100% Polyester Taffeta.

Interlining: Small Parts: 100% Polyester, Front Placket: 100% Polyester.

Labels: Tex-Trop woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem.

Hook and loop: Woven Nylon base.

Buttons: melamine, 20 ligne, matching shell fabric.

Design and Construction

Shirt: Long sleeve uniform shirt with 5 military style creases (see "Creases" below) and extra long shirt tails. The front of the shirt shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8"-1" apart. The center front shall contain six (6) vertical buttonholes (not including collar buttonhole) placed 3/4" from edge and 3-1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. In the back, there is to be yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Collar: Top fused, banded TT89 dress collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". Collar stand and yoke lined with polyester taffeta or satin. The stand shall fasten with one button. There shall be one horizontal button hole. The collar is to be single stitched 1/4" from edge.

MCSO CLASS "A" LONG SLEEVE SHIRT (SUPERVISORS) – CONT'D

Creases: Shirt to have permanent military creases. Creases are to be stitched in shirt only, not thru pockets and flaps. One crease is to be in each front extending from hem to joining seam. Three vertical creases are to be in back; middle crease on center back line; side back creases spaced equally from center crease. Pockets and pocket flaps to be die creased to give uniform shape and size.

Pockets & Flaps: Two breast pockets with mitered corners, scalloped flaps, and hook and loop closures. Each breast pocket is to measure 5-1/2" wide, and 6-1/2" long (length: measured top of pocket flap to bottom center of pocket; actual pocket length is 5-7/8" long). The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading. To have two scalloped flaps to finish 5-3/4" wide, 2-5/8" long at center, and 2-1/4" long at sides. Flaps are to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The side points of the flaps are to be secured to the pockets by means of Velcro fasteners sewn onto the flaps and pockets. The left flap is to have a pencil

opening about 1-1/4" in width. Flaps are to be interlined. There will be a matching button and a buttonhole sewn on the flap. The pockets and flaps shall be single stitched on the edge.

Sleeves: To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 2" wide. Button is to be placed on sleeve opening with corresponding buttonhole. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/4" to 1-1/2" above top of left flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps are to be set about 1/2" from the base of the collar stand. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

Sizing and Measurements

Size:	<u>14</u>	<u>14.5</u>	<u>15</u>	<u>15.5</u>	<u>16</u>	<u>16.5</u>	<u>17</u>	<u>17.5</u>	<u>18</u>	<u>18.5</u>
Chest:	39	41	43	45	47	49	51	53	55	57
Waist:	35	37	39	41	43	45	47	50	53	55
Bk Length:	32 1/8	32 1/4	32 3/8	32 5/8	32 3/4	33	33 1/2	34 1/2	34 5/8	35 1/2

Customization

Mercer County Sheriff Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations will be done at the vendors cost, no separate payment will be made for this service.

MCSO CLASS "A" SHORT SLEEVE SHIRT (SUPERVISOR)

Manufacturer

Elbeco

Style Number

3310

Color

White

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0304)

Fabric

Fabric to be 100% texturized polyester – tropical weave, 5.0–5.5 oz./square yard (9.5-10 oz./linear yard) with mechanical stretch; Elbeco Tex-Trop brand or equal only. To insure permanent moisture control and superior breathability, fabric must be treated at fiber level with Nano moisture wicking technology. Fabric is soil resistance, easy care and wrinkle resistance, with excellent color matching and color retention.

Trim

Lining: 100% Polyester Satin or 100% Polyester Taffeta.

Interlining: Small Parts: 100% Polyester, Front Placket: 100% Polyester.

Labels: Tex-Trop woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem.

Hook and loop: Woven Nylon base.

Buttons: melamine, 20 ligne, matching shell fabric.

Design and Construction

Shirt: Short sleeve uniform shirt with 5 military style creases (see "Creases" below) and extra long shirt tails. The front of the shirt shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8"-1" apart. The center front shall contain six (6) vertical buttonholes (not including collar buttonhole) placed 3/4" from edge and 3-1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. In the back, there is to be yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Collar: Top fused, banded convertible sport collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". Collar stand and yoke lined with polyester taffeta or satin. The collar shall fasten with one button. There shall be one horizontal button hole. The collar is to be single stitched 1/4" from edge.

Creases: Shirt to have permanent military creases. Creases are to be stitched in shirt only, not thru pockets and flaps. One crease is to be in each front extending from hem to joining seam. Three vertical creases are to be in back; middle crease on center back line; side back creases spaced equally from center crease. Pockets and pocket flaps to be die creased to give uniform shape and size.

MCSO CLASS "A" SHORT SLEEVE SHIRT (SUPERVISORS) – CONT'D

Pockets & Flaps: Two breast pockets with mitered corners, scalloped flaps, and hook and loop closures. Each breast pocket is to measure 5-1/2" wide, and 6-1/2" long (length: measured top of pocket flap to bottom center of pocket; actual pocket length is 5-7/8" long). The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading. To have two scalloped flaps to finish 5-3/4" wide, 2-5/8" long at center, and 2-1/4" long at sides. Flaps are to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The side points of the flaps are to be secured to the pockets by means of Velcro fasteners sewn onto the flaps and pockets. The left flap is to have a pencil opening about 1-1/4" in width. Flaps are to be interlined. There will be a matching button and a buttonhole sewn on the flap. The pockets and flaps shall be single stitched on the edge.

Sleeves: To be straight and whole with 1" hem. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well. Sleeves shall be graded in length so as to finish from the shoulder seam as follows:

<u>Size</u>	<u>Finished Length</u>
14 and 14-1/2	9-1/2"
15, 15-1/2, and 16	10"
16-1/2 and above	10-1/2"

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/4" to 1-1/2" above top of left flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps are to be set about 3/4" from the base of the convertible sport collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

Sizing and Measurements

<u>Size:</u>	<u>14</u>	<u>14.5</u>	<u>15</u>	<u>15.5</u>	<u>16</u>	<u>16.5</u>	<u>17</u>	<u>17.5</u>	<u>18</u>
	<u>18.5</u>								
Chest:	39	41	43	45	47	49	51	53	55
57									
Waist:	35	37	39	41	43	45	47	50	53
55									
Blk Length:	32 1/8	32 1/4	32 3/8	32 5/8	32 3/4	33	33 1/2	34 1/2	34 5/8
35 1/2									

Customization

Mercer County Sheriff Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations will be done at the vendors cost, no separate payment will be made for this service.

MCSO CLASS "A" TROUSER

Manufacturer

Blauer

Style Number

8561P7

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0409)

Fabric

14.5 oz. per linear yard serge weave, 75% Dacron polyester / 25% worsted wool with 10% stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Pocketing: 7 pockets, 50/50 polyester cotton twill, not less than 4.1 oz. Sq. yd.

Interlining: polyester non-woven.

Binding: polyester/cotton bias cut.

Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip. Stretch edge control.

Fly zipper: nylon coil #5 with auto lock slider

Hook and eyes: nickel-plated, double hook and eye closure.

Buttons: melamine, 22 ligne, matching shell fabric.

Stripe

Material: 1-1/2" polyester/wool.

Color: Hamburger #420-10 Gold

Position: Sewn along out seam from bottom of waistband to hem.

Design and Construction

Seven pockets: (2) on-seam straight front pockets, (2) inverted double cord hip pockets with button tabs, (2) rear billy pockets, and (1) drop watch pocket. All pockets secured with bar tacks. Stretch waistband with fly tab and 2 bead silicone shirt grip. Interlined wide 2 3/4" belt loops inserted in bottom of waistband and tacked at top. Double hook and eye closure. Quarter linings in front quarters. Outlets in waistband (back) and thigh inseam. Tandem needle seat seam. Seat, inseam, and out seams pressed open. 10-12 stitches per inch (all seams). Permanent silicone adhesive creases front and back.

Sizing

Men's: Regular Length: even waist sizes 28 - 54; odd sizes 31 - 37

Women's: Regular Length: even dress sizes 6 – 24

MCSO CLASS "A" TROUSER – CONT'D

Measurements

Men's: Regular Length: Waist Size 36:

1/2 Waist:	18	(plus 0.25 inch)
Seat:	24	(plus or minus 0.25 inches)
1/2 Knee:	10.875	(plus or minus 0.25 inches)
1/2 Bottom Leg:	8.75	(plus or minus 0.25 inches)
Inseam:	37	(plus or minus 0.50 inches)
Out seam:	46.25	(plus or minus 0.50 inches)
Front Rise:	10.375	(plus or minus 0.25 inches)
Back Rise:	16.875	(plus or minus 0.25 inches)

Women's: Regular Length: Dress Size 12

1/2 Waist:	15.25	(plus 0.25 inch)
Seat:	22.625	(plus or minus 0.25 inches)
1/2 Knee:	10.125	(plus or minus 0.25 inches)
1/2 Bottom Leg:	8.5	(plus or minus 0.25 inches)
Inseam:	35.875	(plus or minus 0.50 inches)
Out seam:	45.875	(plus or minus 0.50 inches)
Front Rise:	11.625	(plus or minus 0.25 inches)
Back Rise:	15.25	(plus or minus 0.25 inches)

Customization

Front creases shall be sewn in the trousers at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge.

MCSO CLASS "B" UTILITY HAT

Manufacturer

Flexfit, LLC.

Style Number

6477

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

Hat: 83% Acrylic, 15% Wool, 2% Spandex.

Under Visor: Silver colored

Trim

Brim: Hard buckram.

Thread: Dark navy.

Center Crown Button: Approximately 5/8" steel connector with hat fabric covering.

Design and Construction

Hat: The dark navy utility hat is a mid-profile "baseball" style cap with a 3-1/2" crown, 6 sewn eyelets, and 8 rows of stitching on the visor.

Sizing

S/M (6-3/4" – 7-1/4")

L/XL (7-1/8" – 7-5/8")

Customization

Vendor shall maintain availability of hat sizes for proper officer fitment, and ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office. Mercer County Sheriff Office hat emblem shall be sewn on the center front crown approximately 3/8" above the visor. Hat emblems must be supplied by vendor at no extra charge to the Sheriff's Office.

MCSO CLASS "B" LONG SLEEVE SHIRT

Manufacturer

Blauer

Style Number

8703X or Equal

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

Fabric

11 oz. per square yard 2 x 1 twill weave in a 65% polyester / 35% cotton fiber blend with 10% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.

TRIM

Interlining: Small parts: 100% polyester. Front pocket: 50% cotton.

Hook and loop: woven nylon base.

Buttons: Melamine, 20 ligne, matching shell fabric

DESIGN AND CONSTRUCTION

Shirt: Long sleeve uniform shirt with 5 military style creases (see "Creases" below) and extra long shirt tails. The front of the shirt shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8"-1" apart. The center front shall contain seven (7) vertical buttonholes (not including collar buttonhole) placed 3/4" from edge and 3-1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. In the back, there is to be yoke composed of an outer piece of the same material as the basic shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing. On

the right chest a nametape of the same material as the shirt shall have the Officer's name in thread no.1951 gold.

Collar: Top fused, convertible sport collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". The collar shall fasten with one button. There shall be one horizontal button hole. The collar is to be single stitched 1/4" from edge.

Creases: Shirt to have permanent military creases. Creases are to be stitched in shirt only, not thru pockets and flaps. One crease is to be in each front extending from hem to joining seam. Three vertical creases are to be in back; middle crease on center back line; side back creases spaced equally from center crease. Pockets and pocket flaps to be die creased to give uniform shape and size.

MCSO CLASS "B" LONG SLEEVE SHIRT – CONT'D

Pockets & Flaps: Two breast pockets with mitered corners, scalloped flaps, and hook and loop closures. Each breast pocket is to measure 5-3/8" wide, and 6-3/8" long (length: measured top of pocket flap to bottom of pocket; actual pocket length is 5-1/2" long). Each breast pocket flap is to have two scalloped flaps to finish 5-1/2" wide, 2-5/8" long at center, and 2-1/2" long at sides. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading. Flaps are to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The side points of the flaps are to be secured to the pockets by means of Velcro fasteners sewn onto the flaps and pockets. Flaps are to be interlined. There will be a matching button and a buttonhole sewn on the flap. The pockets and flaps shall be single stitched on the edge.

Sleeves: To be straight and whole. The cuffs are to be 2-3/16" in width and to fasten with one of two buttons for adjustability. There is to be a single stitch 1/4" from top of cuff. The sleeve opening shall measure 4-1/2" from top of cuff. The top facing for this opening is to be 1" wide and the bottom facing to finish about 2-1/4" wide. Button is to be placed on sleeve opening with corresponding buttonhole. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Badge: A cloth MCSO 5-star badge must be supplied by the vendor and sewn on the left chest so that the top star prong is centered on the left chest military crease and the bottom star prongs are approximately 1/4" above the top of the left pocket flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 1-3/4" at sleeve and taper to 1-3/8". Straps are to be set about 1" from

the base of the convertible sport collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

Sizing

Men's:

Body length regular: sleeve length: short (31-32) sizes S-XL

Body length regular: sleeve length: regular (32.5-33.5) sizes S-3XL

Body length regular: sleeve length: regular (34-35) sizes M-3XL

Body length tall: sleeve length XLong (35.5-36.5) sizes L-3XL

Women's: Regular Length: Sizes XS-2XL

Measurements

Men's: Regular Length: L

- a. Neck: 17.25 (plus or minus .5 inches)
- b. ½ chest: 25.25 (plus or minus .75 inches)
- c. Back length: 32.5 (plus or minus .5 inches)

Women's: Regular Length: M

- a. Neck 15.5 (plus or minus .5 inches)
- b. ½ chest: 22 (plus or minus .75 inches)

MCSO CLASS "B" LONG SLEEVE SHIRT – CONT'D

- c. Back length: 28.5 (plus or minus .5 inches)

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

For K-9 Officers: Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Mercer County Sheriff's Office K-9 emblem shall be sewn on right sleeve. The "K-9" logo shall be embroidered on both collar points.

MCSO CLASS "B" SHORT SLEEVE SHIRT

Manufacturer

Blauer

Style Number

8713X or Equal

Color

Dark Navy

Standards

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

Fabric

11 oz. per square yard 2 x 1 twill weave in a 65% polyester / 35% cotton fiber blend with 10% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Interlining: Small parts: 100% polyester. Front pocket: 50% cotton.

Hook and loop: woven nylon base.

Buttons: Melamine, 20 ligne, matching shell fabric

Design and Construction

Shirt: Short sleeve uniform shirt with 5 military style creases (see "Creases" below) and extra long shirt tails. The front of the shirt shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8"-1" apart. The center front shall contain seven (7) vertical buttonholes (not including collar buttonhole) placed 3/4" from edge and 3-1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. In the back, there is to be yoke composed of an outer piece of the same material as the basic shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing. On the right chest a nametape of the same material as the shirt shall have the Officer's name in thread no.1951 gold.

Collar: Top fused, convertible sport collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". The collar shall fasten with one button. There shall be one horizontal button hole. The collar is to be single stitched 1/4" from edge.

Creases: Shirt to have permanent military creases. Creases are to be stitched in shirt only, not thru pockets and flaps. One crease is to be in each front extending from hem to joining seam. Three vertical creases are to be in back; middle crease on center back line; side back creases spaced equally from center crease. Pockets and pocket flaps to be die creased to give uniform shape and size.

MCSO CLASS "B" SHORT SLEEVE SHIRT – CONT'D

Pockets & Flaps: Two breast pockets with mitered corners, scalloped flaps, and hook and loop closures. Each breast pocket is to measure 5-3/8" wide, and 6-3/8" long (length: measured top of pocket flap to bottom of pocket; actual pocket length is 5-1/2" long). Each breast pocket flap is to have two scalloped flaps to finish 5-1/2" wide, 2-5/8" long at center, and 2-1/2" long at sides. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets

to have 1-1/4" box stitching top and bottom to prevent spreading. Flaps are to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The side points of the flaps are to be secured to the pockets by means of Velcro fasteners sewn onto the flaps and pockets. Flaps are to be interlined. There will be a matching button and a buttonhole sewn on the flap. The pockets and flaps shall be single stitched on the edge.

Sleeves: To be straight and whole with 1" hem. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well. Sleeves shall be graded in length so as to finish from the shoulder seam as follows:

<u>Size</u>	<u>Finished Length</u>
14 and 14-1/2	9-1/2"
15, 15-1/2, and 16	10"
16-1/2 and above	10-1/2"

Badge: A cloth MCSO 5-star badge must be supplied by the vendor and sewn on the left chest so that the top star prong is centered on the left chest military crease and the bottom star prongs are approximately 1/4" above the top of the left pocket flap.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 1-3/4" at sleeve and taper to 1-3/8". Straps are to be set about 1" from the base of the convertible sport collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

Sizing

Men's: regular length: S-3XL

Women's: regular length: XS-2XL

Measurements

Men's: Regular Length: L

- a. Neck: 17.25 (plus or minus .5 inches)
- b. 1/2 chest: 25.25 (plus or minus .75 inches)
- c. Back length: 32.5 (plus or minus .5 inches)

Women's: Regular Length: M

- a. Neck 15.5 (plus or minus .5 inches)
- b. 1/2 chest: 22 (plus or minus .75 inches)
- c. Back length: 28.5 (plus or minus .5 inches)

MCSO CLASS "B" SHORT SLEEVE SHIRT – CONT'D

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank

emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

K-9 Officers: Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Mercer County Sheriff's Office K-9 emblem shall be sewn on right sleeve. The "K-9" logo shall be embroidered on both collar points.

MCSO CLASS "B" TROUSERS

Manufacturer

Blauer

Style Number

8819-7 or Equal

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

Fabric

11 oz. per square yard 2 x 1 twill weave in a 65% polyester / 35% cotton fiber blend with 10% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Pocketing: 7 pockets, 70/30 polyester cotton twill, not less than 3.0 oz. sq. yd.

Interlining: polyester non-woven.

Binding: polyester/cotton bias cut.

Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip. Stretch edge control.

Fly zipper: Heavy duty nylon coil #4.5 with auto lock slider

Hook and eyes: nickel-plated, double hook and eye closure.

Buttons: melamine, 22 ligne, matching shell fabric.

Drawstrings: 100% polyester gross grain ribbon. Finished hem with drawstring closure.

Stripe

Material: 1-1/2" polyester/cotton.

Color: Hamburger #420-10 Gold

Position: Sewn along outseam from bottom of waistband to hem, over side pocket flap and pocket bag.

Design and Construction

Seven pockets: (2) front quarter pockets, (2) inverted double cord hip pockets with flaps, (1) right rear thigh billy pocket, and (2) side cargo pockets. All

pockets secured with bar tacks. Stretch (polyester, spandex, nylon blend) waistband with fly tab and 2 bead silicone shirt grip. Stretch waistband with stretch edge control. Interlined with belt loops inserted in bottom of waistband and tacked at top 3" opening. Double hook and eye closure. Quarter linings in front quarters. Outlets in waistband (back) and thigh inseam. Loose pattern through seat and thigh. Tandem needle seat seam. Seat, inseam, and out seams pressed open. 10-12 stitches per inch (all seams).

Sizing

Men's: Regular Length: even waist sizes 28-54; odd sizes 31-37

Women's: Regular Length: even dress sizes 6-24

MCSO CLASS "B" TROUSERS – CONT'D

Measurements

Men's: Regular Length: Waist size 36:

- a. ½ waist: 18 (plus .25 inches)
- b. Seat: 23.75 (plus or minus .25 inches)
- c. ½ knee: 11.75 (plus or minus .25 inches)
- d. ½ bottom leg: 8.875 (plus or minus .25 inches)
- e. inseam: 33.5 (plus or minus .5 inches)
- f. Out seam: 42.25 (plus or minus .5 inches)
- g. Front rise: 10.5 (plus or minus .25 inches)
- h. Back rise: 16.25 (plus or minus .25 inches)

Women's: Regular Length: Dress size 12:

- i. ½ waist: 15.5 (plus .25 inches)
- j. Seat: 22.75 (plus or minus .25 inches)
- k. ½ knee: 10.875 (plus or minus .25 inches)
- l. ½ bottom leg: 8.5 (plus or minus .25 inches)
- m. Inseam: 30.5 (plus or minus .5 inches)
- n. Out seam: 41 (plus or minus .5 inches)
- o. Front rise: 11.875 (plus or minus .25 inches)
- p. Back rise: 15 (plus or minus .25 inches)

Customization

All alterations shall be done at no additional charge.

MCSO SHORT SLEEVE K-9 POLO SHIRT

Manufacturer

5.11 Tactical

Style Number

41060

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Fabric

100% Cotton Pique

Trim

Buttons: melamine, 20 ligne, matching shell fabric.

Design and Construction

Shirt: Engineered with high technology construction for professional appearance with a 3-button placket, hidden pencil pocket, and flat knit collar that stays flat to prevent from curling. Shirt is wrinkle and fading resistant, and specially treated to prevent shrinkage. The following stitches are used 1/4" topstitch single needle on the cuff band; 2 needle cover stitch on bottom hem and single needle topstitch, edge stitch.

Badge Logos & Embroidery: K9 Logo # 275891 direct embroidered on left chest. Last Name direct embroidered on right chest. "MERCER COUNTY SHERIFF" direct embroidered on the left sleeve in gold no.1951 thread.

Sizing

5.11 Professional Polo is available in the following sizes:

Small, Medium, Large, Extra-Large, 2XL, and 3XL.

Also Available in Tall Sizes: Large, XL, 2XL, 3XL, 4XL, and 5XL.

Customization

Vendor shall ensure proper shirt fitment and embroidery upon order fulfillment without additional charge to Sheriff's Office.

MCSO SERT TACTICAL LONG SLEEVE SHIRT

Manufacturer

5.11 Inc.

Style Number

72002

Color

724 Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

Fabric

6.1 oz. 65% polyester / 35% cotton Taclite ripstop that is pre-cured for wrinkle resistance and treated with Teflon® for stain and soil resistance. Machine

washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Interlining: Small parts: 100% polyester. Front pocket: 50% cotton.

Hook and loop: woven nylon base.

Buttons: 3/4" Melamine, 20 ligne, matching shell fabric

Design and Construction

Shirt: Long sleeve dark navy 5.11 TDU shirt with chest pockets and patented hidden document pockets. The shirt is triple-stitched and bar-tacked in all stress areas. The shirt also features double reinforced elbows for strength, bi-swing shoulders for a wider range of motion, and straight cut bottom. There shall also be pen slots on the right lower arm. The front of the shirt shall have a 1-3/4" wide overlap from the left side of the shirt at the center extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 1-1/2" apart that covers all but the collar button. The center front shall contain five (5) vertical buttonholes placed 1" from edge and 4-7/8" apart. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the overlap portion of the shirt.

Collar: Top fused, convertible sport collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure approximately 1-1/2". The collar shall fasten with one button. There shall be one horizontal button hole. The collar is to be single stitched 1/16" from edge.

Pockets & Flaps: Two chest pockets with square corners, squared flaps, and hook and loop closures. Each chest pocket has pocket bellows and measures approximately 5-5/8" wide by 6-3/8" long (length: measured top of pocket flap to bottom of pocket; actual pocket length is 5-3/4" long). The chest pocket flaps shall measure approximately 5-3/4" wide by approximately 2-5/16" long. The left chest pocket to have a pencil compartment about 1-1/4" wide. Two patented hidden document pockets with hook and loop closures. The chest pockets are double stitched; the hidden pockets are triple stitched.

MCSO SERT TACTICAL LONG SLEEVE SHIRT – CONT'D

Sleeves: To be straight and whole. The cuffs are to be approximately 2-3/16" in width and to fasten with one of two buttons for adjustability. The cuffs shall be double stitched. The sleeve opening shall measure approximately 6-1/4" from top of cuff. The facing for this opening is to be approximately 1-1/4". Button is to be placed on sleeve opening approximately 3" above top of cuff. The sleeves must be secured to the body of the shirt by means of triple stitching. On left sleeve, there shall be two pen compartments single stitched measuring in total approximately 2-1/4" wide (divided in the center by single stitching to form the two compartments) by 5-1/4" long (ending at the top of the cuff).

Name Tag: On the right chest a nametape of the material matching the shirt shall have the Officer's name in silver thread matching the SERT left arm patch.

Sizing

XS-6XL

Customization

Mercer County Sheriff's Office SERT emblem shall be sewn on left sleeve. SERT emblems must be supplied by vendor at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO SERT TACTICAL TROUSERS

Manufacturer

5.11 Inc.

Style Number

74003

Color

724 Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

Fabric

7.5 oz. 65% polyester / 35% cotton Taclite ripstop that is pre-cured for wrinkle resistance and treated with Teflon® for stain and soil resistance. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Pocketing: 6 pockets, 70/30 polyester cotton twill, not less than 3.0 oz. sq. yd.

Interlining: polyester non-woven.

Binding: polyester/cotton bias cut.

Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip. Stretch edge control.

Fly zipper: Heavy duty YKK® locking-flange zipper

Snap: PRYM® waist snap.

Buttons: melamine, 22 ligne, matching shell fabric.

Drawstrings: 100% polyester gross grain ribbon. Finished hem with drawstring closure.

Design and Construction

Trousers: Trouser shall have six pockets: (2) front quarter pockets, (2) inverted double cord hip pockets with flaps, and (2) side cargo pockets with bellows. Side cargo pockets with inside divided pockets capable of holding two AR magazines each. All pockets secured with bar tacks. Stretch (polyester, spandex, nylon blend) waistband with 2 bead silicone shirt grip. Adjust-a-waist waistband. Interlined with belt loops inserted in bottom of waistband and tacked at top 2-3/4" opening. Snap waist closure. Quarter linings in front quarters. Outlets in waistband (back) and thigh inseam. Loose pattern through seat and thigh with a reinforced seat and double knees.

Sizing

Men's Waist: XS-6XL

Men's Length: Short, Regular, Long

Customization

All alterations shall be done at no additional charge to Sheriff's Office.

MCSO WINTER HAT

Manufacturer

Blauer

Style Number

5110

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Fabric

5.5 oz. per square yard 200 Denier Nylon (warp), and 3-ply 70 denier taslanized nylon filling, plain weave, treated with durable fluorocarbon water and stain release agents. Honeycomb pattern printed urethane non-ravel back-coating to insure breathability, prevent seam slippage, and to maintain shell fabric appearance.

Trim

Lining: Permanent Insulated Liner: 1.8 oz. per square yard, 100% Nylon 70 denier plain weave taffeta backing black colored fabric. Fiber shall be migration resistant construction and treatment with no added layers of scrim. Machine washable/dryable, dry cleanable, and can be pressed. Shrinkage shall be less than 2%.

Pile: 100% acrylic face, 100% polypropylene back, high luster seal finish, black in color.

Buckle: brass with flat black finish.

Snap: non-rusting, 24 ligne, gunmetal finish on brass, heavy-duty closure in black color.

Design and Construction

Hat: The winter hat shall be five piece design with front and side flaps. The hat shall have a quilted insulated liner with pile lined flaps. Hat shall have a sweatband made of same material as inner lining. The security chin strap shall have an adjustable buckle and snap.

Sweatband: The inner sweatband shall be non-foamed back first quality leather.

Badge Eyelet: One black metal "rivet" eyelet shall be located in front flap portion of hat for hat badge placement.

Sizing

Regular length: Sizes: S-3XL

Customization

Vendor shall maintain availability of hat sizes for proper officer fitment, and ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO WINTER DUTY JACKET

Manufacturer

Blauer

Style Number

9910Z

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for agency approval. All products will have a printed warranty hangtag covering (at minimum) defects in materials and workmanship for three (3) years. Garments must be manufactured in an ISO 9000 certified facility to meet quality assurance standards. (AG2105) Garments shall meet the Emergency Medical Garment requirements of the NFPA 1999, STANDARD ON PROTECTIVE CLOTHING FOR EMERGENCY MEDICAL OPERATIONS, 2003 Edition.

Fabric

Matrix Fabric: 70 Denier warp and 140 denier filling 100% Nylon Ripstop weave. Honeycomb pattern printed urethane non-ravel back-coating to insure breathability, prevent seam slippage, and to maintain shell fabric appearance.

Lining: Crosstech waterproof-breathable membrane laminated to a 2.18 oz. per square yard, 100% textured polyester, 70 denier plain weave fabric, and charcoal color, resulting in a dry cleanable and washable waterproof material with high moisture vapor transmission, blood-borne pathogen resistance, and common chemical resistance.

Removable Insulated Liner: 6 inch diamond pattern quilted insulation package. 6 oz per sq. yd. Polyester velour pile fleece face fabric for body. 70 denier nylon taffeta face fabric for sleeves. Thermolite Plus or B.Warm BSCL-120 insulation for sleeves. 70 denier nylon taffeta backing fabric for body and sleeves. Fiber shall be migration resistant construction and treatment with no added layers of scrim. Machine washable/dryable, dry cleanable, and can be pressed. Shrinkage shall be less than 2%. (Color: black)

Trim

Buttons: Vendor to supply State of New Jersey gold buttons, six (6) 5/8" - one for each epaulet, and two for each sleeve cuff.

Brushed pocketing: 100% polyester fill, polyester/rayon warp. (Color: black)

Pocketing: 70% Polyester, 30% Cotton. (Color: black)

Interlining: 100% polyester non-woven.

Binding: 100% nylon 70 denier taffeta plain weave.

Elastic: Spandex, 1-inch knitted elastic, dry cleanable.

Ribbon loops: 0.5 inch grosgrain. (Color: black)

Reflective trim: 1 inch wide, 3M Scotchlite silver reflective fabric; 2-1/2 inch wide, 3M Scotchlite silver reflective fabric.

Seam Tape: 2-layer Gore-Seam tape 1 inch wide compatible with permanent waterproof-breathable lining. (Color: white)

Front zipper: delrin, two-way, size #5, 24 inches long.

Side vent zippers: nylon coil, one-way, size #5, 9.5 inches long.

Sleeve underarm zippers: coil one-way, size #3, 10 inches long.

Liner zipper: delrin, size #3, and 46 inches long.

MCSO WINTER DUTY JACKET CONT'D

(Note: Zipper lengths specified are for L/Reg, Color: black.)

Snap for liner attachment: 20 ligne, prong style with closed backs, non-rusting gunmetal finish on brass, heavy-duty closure.

All other snaps: 24 ligne, Tri-Snap, thermoplastic acetyl resin. (Color: black)

Hook and loop: woven Nylon base. (Color: black)

Design and Construction

Jacket: Waterproof by design style. Waist length with Shirred back waistband. Front zipper closure covered by double storm flaps and black snaps. Drop shoulder. The two side openings shall be 10" with 9.5" zippers and elasticized snap tabs at the bottom. The jacket shall be labeled with manufacturer, country of origin, size, all required NFPA 1999 (2003 edition) certification labeling and owner's manual.

Collar: Storm collar. Yoke design in back. Zip-out full body and sleeve quilted insulated liner. Zippered back collar with a removable, inserted adjustable waterproof-breathable hood. Hidden 1" wide Scotchlite™ deploys from the underside rear collar.

Pockets & Flaps: Double entry pleated patch pockets (that is, top pockets with pocket flaps, and side pockets). Top pockets shall have Velcro and plastic snap openings. Each pocket shall have a dark navy button to affix the deployable 3M Scotchlite silver reflective fabric 2-1/2" wide by 6-1/2" long (overall 7-1/2" long with 1" sewn inside the pocket). PD9910 Pull down flaps must be included in the price of the Jacket. The back pull down shall have Reflective "SHERIFF" on the back.

Sleeves: Two piece sleeves with elasticized hook and loop cuff closure. Underarm zippers. Hidden 1" wide Scotchlite™ deploys from underside of cuffs. Each cuff shall have a approximate 8" in length and 2-5/8" wide, tapering to 2" wide, cuff design made of the jacket material. Each cuff shall have two (2) buttons affixing the cuff on 2" wide end; the 2-5/8" end shall be sewn into the seam of the sleeve seam.

Badge Tab: Badge tab on left chest measuring 2-1/2" long and 7/8" wide and made of jacket material. There shall be two black metal "rivet" eyelets for batch attachment.

Shoulder Epaulets: The shoulder epaulets shall be pointed at the end toward the neck of the jacket. The overall length of the epaulet shall be 14-1/4" and shall fold such that the top outer portion measures 7-5/8"; the bottom portion shall remain affixed to the jacket by means of two cross bands of material (same as the jacket) and the epaulet button. The top outer portion shall measure 2-1/2" at the sleeve head seam and taper to 2" at the pointed end. The pointed ends shall be fastened with one matching button.

Sizing

Unisex:	Short:	XS - L
	Regular:	S - 3XL
	Tall:	M - 3XL

Measurements

Unisex Size:	Regular Length:	L
Chest:	54	(plus or minus 0.75 inch)
Sleeve:	36	(plus or minus 0.5 inch)
Back Length:	25	(plus or minus 0.5 inch)

Customization

MCSO WINTER DUTY JACKET CONT'D

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO CLASS "A" BLOUSE COAT

Manufacturer

Hope Uniform Company

Style Number

Custom - NJSP

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Blouse coats will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

Outer fabric: 13-13.5 oz. 55/45 Dacron Polyester/Wool, Serge. Dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Lining: 100% Polyester Satin or 100% Polyester Taffeta.

Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton.

Buttons: Four (4) State of New Jersey seal 7/8" gold buttons; Ten (10) State of New Jersey seal 5/8" buttons.

Belt hooks: Four (4) black metal 1" outer height hooks.

Badge tab: black felt and (2) black metal eyelets.

Underlining of collar: black felt.

Design and Construction

Blouse Coat: The coat shall be a custom made, dark navy, fully-lined blouse coat with NJSP styling; that is, the coat has a 4-button front, notched lapels, back center vent design, shoulder pads, sweat shields inside chest area, and two chest pockets and two lower pockets with buttoned flaps. The rear of the coat shall have a center facing 2" wide extending from the rear collar stand to center waist facing and be made of the same material as the coat fabric with two rows of stitching 1-3/4" apart. There shall be a center waist facing measuring 2" in height and be made of the same material as the coat fabric with two rows of stitching 1-3/4" apart. There shall be four (4) belt hooks sewn into this center waist facing; (2) centered on the front pocket centers, and (2) centered on the rear gusset seams.

Collar: The collar shall be notched. The lower notch, point to inner collar, shall measure approximately 4" in width. The upper notch, point to meeting of lower notch, shall measure approximately 1-1/2". The rear collar stand shall be 1-1/2". The underside of the collar to the notch shall be lined with black felt. The collar is to be single stitched 1/4" from edge.

MCSO CLASS "A" BLOUSE COAT – CONT'D

Seams: The coat shall have permanent seams as follows. Seams are to be stitched in coat only, not thru pockets and flaps. One seam is to be in each front extending from

bottom center of chest pockets to center waist facing. Two vertical seams are to be in back; these side back seams shall be spaced equally from center rear facing – starting at under sleeve, slightly curving to the center waist facing, and then passing through the center waist facing, and ending at the bottom of the coat.

Rear Gussets: Two rear vertical gussets, starting at the shoulder epaulet and approximately 1/4" inward from the sleeve head seams, single stitched at approximately 3/16" vertically. Each gusset shall be sewn to the jacket from the top approximately 2", followed by an open gusset, then approximately 2-3/4" sewn upward from the center waist facing.

Chest Pockets & Flaps: Two box pleated chest pockets with rounded corners, scalloped flaps, and 5/8" button closures. Each chest pocket is to measure approximately 5-3/4" wide and approximately 7" long (length: measured top of pocket flap to bottom center of pocket; actual pocket length is 6-3/8" long) and pocket opening edge lined with black polyester satin. Both pockets to have 3/16" box stitching top and bottom to prevent spreading. Each pocket

shall have a 5/8" button sewn approximately 1-1/2" down from the top of the actual pocket and centered. To have two scalloped flaps to finish 5-7/8" wide, 2-7/8" long at center, and 2-1/4" long at sides. Flaps are to be secured to front of coat with one row of stitching approximately 3/16" from the edge of the flap. Flaps are to be interlined with black polyester satin. There will be a matching buttonhole sewn on the flap to line up with the pocket button.

Lower Pockets & Flaps: Two lower pockets with square corners, square flaps, and 5/8" button closures. Each lower pocket is to measure approximately 8-1/4" wide and approximately 9-1/4" long (length: measured top of pocket flap to bottom center of pocket; actual pocket length is 8-7/8" long). Both pockets to have 3/16" box stitching top and bottom to prevent spreading. Each pocket shall have a 5/8" button sewn approximately 2-3/4" down from the top of the actual pocket and centered. To have two square flaps to finish 8-3/8" wide at top (nearest to center waist facing), 8-1/2" wide on flap bottom, and 3-3/4" long. Flaps are to be secured to front of coat with one row of stitching approximately 3/16" from the edge of the flap. Flaps are to be interlined with black polyester satin. There will be a matching buttonhole sewn on the flap to line up with the pocket button. There shall be a 1" pen space sewn on the inside of both pockets; both pockets shall be located inside the pocket area closest to the coat's center button line, and not visible on the outside of the pocket.

Inner Pockets: There shall be two (2) inner internal pockets, one on each side of the coat opening. Pockets shall measure approximately 4-3/4" wide opening (5-1/4" wide external) and approximately 6-1/4" long inside the pocket. The edges of the pocket opening and approximately 1-1/2" interior depth of the pocket shall be lined with black polyester satin.

Sleeves: To be straight and whole. On each cuff there shall be two (2) 5/8" buttons. The first button sewn at 1-1/2" from the cuff edge; the second button shall be in line and above the first button at 2-1/2" from the cuff edge.

Badge Tab: The badge tab shall be made of 15/16" wide by 1-1/2" long black felt shall be on the left chest. The badge tab shall be single stitched 1/8" from the edge. The badge tab shall have two small black metal eyelets, 3/4" center to center, with the bottom of the badge tab approximately 1/2" from the top of the left chest pocket.

MCSO CLASS "A" BLOUSE COAT – CONT'D

Shoulder epaulets: The shoulder epaulets shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed end shall be fastened with one (1) 5/8" button. The epaulets shall measure 2-3/8" at sleeve and taper to 2". Epaulets are to be set about 1/8" from the base of the collar stand. Shoulder epaulets shall be box stitched to shoulders with row of cross stitching about 2-3/8" from sleeve head seam.

Sizing

The following is general sizing as each coat is to be custom fitted.

Short: XS - L

Regular: S - 3XL
Tall: M - 3XL

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO CLASS "A" DOUBLE BREASTED OVERCOAT

Manufacturer

Newport Harbor

Style Number

761MT

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Overcoats will have a warranty covering (at minimum) defects in materials and workmanship for three (3) years.

Fabric

Outer fabric: 60% combed cotton / 40% polyester treated with DuPont™ Teflon®. Machine washable.

Trim

Lining: 100% Nylon.

Zip-out Quilted Liner: 3M Thinsulate™ Insulation – Liner: 100% Nylon, Sleeves: 80% Polyester / 20% Cotton, Filler: 100% Polyester.

Buttons: (9) 7/16" clear; (4) 3/4" black melamine, 20 ligne, matching shell fabric; (11) 1" black melamine, 20 ligne, matching shell fabric.

Belt loops: Two (2) black fabric same as outer shell.

Badge tab: black fabric same as outer shell with (2) black metal eyelets.

Belt: 1-3/4" black fabric same as outer shell with one (1) 1-1/2" wide by 2-1/2" long black plastic buckle.

Cuff Buckle: Two (2) 1-1/4" wide by 1-3/4" long black plastic buckles.

Design and Construction

Overcoat: The overcoat shall be a black, double-breasted, fully-lined overcoat with zip-out quilted liner. The overcoat has a notched lapel, (8) 1" black button double breasted front, with additional 1" button for notched lapel closure, back vent design, cut through pockets, permanent epaulets with 3/4" black buttons, split raglan shoulder, gun patch on right chest fastened by a button at the chest, 1-3/4" fabric belt and loops, and badge tab. The rear of the coat shall have a bi-swing cut.

Collar: The collar shall be notched. The lower notch, point to inner collar, shall measure approximately 4-3/4" in width. The upper notch, point to inner collar, shall measure approximately 3-3/4". The rear collar stand shall be 2-1/4". The collar is to be single stitched 3/8" from edge.

Seams: The overcoat shall have permanent seams as follows. Seams are to be stitched in overcoat at the sides and full length at the rear center.

Vent: Overcoat shall have a rear vent measuring 13-3/8" at the center and sewn at 5/16".

Side Pockets & Flaps: Two lower pockets with outer entry covering measuring 2" wide by 8" long.

MCSO CLASS "A" DOUBLE BREASTED OVERCOAT – CONT'D

Sleeves: To be straight and whole. Each cuff shall have an approximate 10" in length and 1-1/8" wide cuff design made of the overcoat material on the front of each sleeve. Each cuff shall have 1-1/4" wide by 1-3/4" long black plastic buckle at the pointed end. The pointed end shall be sewn into the sleeve seam farthest from the main overcoat seam. The square end of the cuff shall be sewn into the sleeve seam closest to the main overcoat seam.

Badge Tab: The badge tab shall be 1" wide by 2-1/4" long, on the left chest, of the same fabric as the overcoat. The badge tab shall be single stitched 1/16" from the edge, and affixed to the overcoat at the top and bottom only. The badge tab shall have two small black metal eyelets, 3/4" center to center, with the bottom of the badge tab approximately 10-3/4" from the top of the left pocket.

Shoulder epaulets: The shoulder epaulets shall measure approximately 13-3/8" in overall length. The pointed end shall measure approximately 2-3/8" wide. The other end shall be sewn in the collar head seam and measure approximately 1-5/8" wide. The epaulet shall fold such that the bottom portion shall remain affixed to the overcoat by means of one cross band of material (same as the overcoat) and the pointed end of the epaulet affixed by one (1) 3/4" button.

Sizing

Men's: 36-50 Short
 36-54 Regular
 38-60 Long

Women's: 2-18 Regular
 0-20 Petite

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO CLASS "A" MOTORCYCLE CRUSH HAT

Manufacturer

Sentry Uniform Cap Company, Inc.

Style Number

R-801 styling with no wire inside hat. Banded open cane with a black detachable cloth band (combo band).

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Fabric

The hat shall be made with Hamburger Woolen Dac/Wool material.

Trim

Buttons: Custom gold New Jersey buttons side of Crush Hat supplied by vendor.

Design and Construction

Hat: R-801 Highway Patrol Crush style hat with no wire inside hat and no top cross strap. Hat is to have banded open cane with a black detachable cloth band (i.e. combo band). Sides of hat are to be tacked down utilizing custom gold New Jersey buttons. An optional black stretch nylon strap attached at side buttons, or black leather cross strap with buckle adjustment attached at side buttons for hat stability in windy conditions shall be available.

Visor: Visor-400 with approximate 1-3/4" moderate drop.

Sweatband: The inner sweatband shall be non-foamed back first quality leather.

Badge Eyelet: One black metal "rivet" eyelet shall be located in top front portion of hat for hat badge placement.

Customization

Vendor shall maintain availability of hat sizes for proper officer fitment, and ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" MOTORCYCLE BREECHES

Manufacturer

Hope Uniforms

Style Number

S281441

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at

minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0409)

Fabric

14.5 oz. per linear yard, 47% rayon, 48% nylon, and 5% Lycra with 4-way stretch. Machine washable and dry cleanable blend provides user comfort, uniform appearance, durability, and easy care.

Trim

Pocketing: 7 pockets, 50/50 polyester cotton twill, not less than 4.1 oz. Sq. yd.

Interlining: polyester non-woven.

Binding: polyester/cotton bias cut.

Waistband: Snugtex with banroll.

Stretch edge control.

Fly zipper: brass with auto lock slider

Hook and eyes: nickel-plated, double hook and eye closure.

Buttons: melamine, 22 ligne, matching shell fabric.

Stripe

Material: 1-1/2" polyester/wool. Stripe is to be exactly the same as Class "A" Trouser.

Color: Hamburger #420-10 Gold

Position: Sewn along out seam from bottom of waistband to hem.

Design and Construction

Seven pockets: (2) quarter front pockets with drill pocketing, (2) hip pockets with buttoned flaps, (2) rear billy pockets, and (1) watch pocket. Snugtex waistband with banroll. Interlined wide 2-3/4" belt loops inserted in bottom of waistband and tacked at top. Full seat patch and full knee patch (i.e. double knee). Double hook and eye closure with button fly tab. Zippered bottoms with stirrups. Outlets in waistband (back) and thigh inseam. Tandem needle seat seam. Seat, inseam, and out seams pressed open. 10-12 stitches per inch (all seams). Permanent silicone adhesive creases front and back.

Customization

All alterations shall be done at no additional charge.

Sizing & Measurements

Each officer must be measured for custom fit.

MCSO CLASS "A" MOTORCYCLE LEATHER COAT

Manufacturer

Taylor's Leatherwear

Style Number

NYPD #4497Z

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at

minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. Leather must be processed and finished in the U.S.A. The leather must survive 50,000 flexes on a "bally" flexometer with no visible cracking or peeling. Leather must pass a minimum of 1,000 cycles grams of weight with a CS-10 wheel using a "tabor" 5150 abrasor.

Fabric

Outer shell shall be breathable, water resistant, windproof genuine cowhide leather.

Trim

Top thread: Mono-Nylon T-70

Bobbin thread: Poly-Cotton T-60

Buttons: Vendor to supply State of New Jersey gold buttons, two (2) 5/8" one for each epaulet, and ten (10) 7/8" for double breasted front.

Black metal snaps: Two (2) black metal snaps for each leather keeper.

Design and Construction

Jacket: Jacket design shall be NYPD double breasted styling 34" in length. A permanent lining inside jacket made of 100% nylon taffeta, 160 x 90 pic. A removable lining body made of quilted nylon with C-200 Thinsulate. Sleeves are to be line with quilted nylon with C-100 Thinsulate. Sleeves are to be a three piece construction, and underarm piece to have vents and gusset for freedom of movement. Sleeves are to be fully double stitched into armholes. Removable liner sleeves to have 1" wide omni-directional knit material installed in armhole for freedom of movement. Each jacket is to have black nylon storm cuff 7" in length sewn in sleeve of removable liner. Each cuff end of leather jacket is to have a 3" sewn cuff line. There shall also be two (2) leather belt keepers attached to the rear of the jacket measuring 5" in length and 2" in width. The leather belt keepers shall be sewn to the jacket at the bottom and have two (2) black metal snaps each at the top to attach to the jacket such that it allows for approximately 3" belt openings when snapped.

Pockets & Side Vents: Inside stealth pockets. Side vents are to be 10" in length with keeper strap.

Badge Tab: All metal "rivet" eyelets on left chest of jacket to affix badge.

MCSO CLASS "A" MOTORCYCLE LEATHER COAT- CONT'D

Shoulder Epaulets: The shoulder straps shall be pointed at the end toward the neck of the jacket. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The epaulet straps shall measure 2-3/8". Straps are to be set about 1-3/4" from the base of the neck of the jacket. Shoulder straps shall be box stitched to shoulders with row of cross stitching about 2" from sleeve head seam.

Sizing

Small – Large

XL – 3XL

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO SWEATER

Manufacturer

Blauer

Style Number

210

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0409)

Fabric

70% PIL-TROL acrylic, 30% wool, pre-washed and softened. Machine washable and dry cleanable.

Trim

Cloth patch fabric: 6.5 oz. per square yard 2 X 1 twill weave in a 65% polyester / 35% cotton fiber blend with 10% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care. (Color: see specified garment color)

Tape reinforcement: 100% polyester woven tape, 0.25 inches wide. (Color: black)

Design and Construction

Sweater: Pull over style straight body 2 x 2 rib knit. Knitted body and sleeve welts with a non-raveling edge set-in sleeves with turn back cuff for adjusting sleeve length. Cloth patches for reinforce shoulders and elbows. Mercer County Sheriff Office emblem shall be sewn on left sleeve.

Collar: V-neck with approximately 1-3/8" wide knitted design.

Sleeves: To be straight with natural taper to wrist.

Badge & Name Plate tabs: A cloth patch badge tab on the left chest with (2) vertically placed, approximately 1-9/32" center to center, black metal "rivet" openings for batch attachment. A cloth patch nameplate tab on the right chest with (2) horizontally placed, approximately 1-11/16" center to center, black metal "rivet" openings for nameplate attachment.

Shoulder epaulets: The shoulder straps shall be pointed at the end toward the neck of the sweater. The other end shall be sewn in sleeve head seam. The

pointed ends shall be sewn to sweater shoulder cloth patch. The straps shall measure 2-3/16" at sleeve and taper to 2". Straps are to be set about 1" from the base of the sweater v-neck knitting. Shoulder straps shall be single stitched to shoulders approximately 1/4" from sleeve head seam.

Sizing

Unisex Sizes:

Regular length: S-3XL

MCSO SWEATER – CONT'D

Measurements

Regular Length: Size: L

Body Length: 27.5 (plus or minus 0.75 inches)

Body Width: 18 (plus or minus 0.5 inches)

Sleeve Length: 25.5 (plus or minus 0.5 inches)

Customization

Mercer County Sheriff's Office emblem shall be sewn on left sleeve. Emblems must be supplied by vendor at no extra charge to the Sheriff's Office. Rank emblems, as applicable, shall be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. All alterations shall be done at no additional charge to the Sheriff's Office.

MCSO TURTLENECK

Manufacturer

Elbeco

Style Number

7700

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Fabric

100% pre-shrunk combed cotton - jersey knit with neck and cuffs 95% combed cotton / 5% Lycra rib knit, Weight: 6.0 oz/sq yd, and machine washable. The finished turtleneck, after five launderings and dryings, shall not elongate more than 2 percent or shrink more than 8 percent lot average with no sample unit to exceed 8 percent.

Design and Construction

Turtleneck: Shall be a pullover type turtleneck with seamless body and full neck with long sleeves. Tag-less neck for no-scratch comfort; collar height 4 1/2" (unfolded). Vat-dyed for excellent color retention through wash and wear. There shall be a cover-stitch shoulder and neck seams for durability and

professional appearance, and seamless neck and body for better fit and superior comfort. Generous fit and extra-long tails allow for wear over body armor. Shoulder seams shall be reinforced with elastic tape for superior strength.

Collar: Turtleneck shall be manufactured so that it will retain its shape and will finish 4½" in height unfolded. "M.C.S.O." shall be embroidered in gold no. 1951 thread on the left front facing side of the neck. An external cover stitch shall secure the neck and shoulder seams, so as to ensure superior durability and appearance of the garment.

Sleeves: The sleeves are to be long set-in type with Lycra blended 1 x 1 rib knit cuffs.

Seams: Seam allowances shall be maintained with seams sewn so that no raw edges, run-offs, pleats, puckers or open seams occur. Shoulder seams shall have a 3/16" wide white elastic cord sewn into the seams so as to add stability and durability.

Sizing

Regular Cut: S-6XL

Customization

Vendor shall ensure proper turtleneck fitment and embroidery upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" REVERSIBLE HAT COVER

Manufacturer

Blauer

Style Number

107

Color

Black and Florescent Yellow

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard.

Fabric

2.5-3.0 oz. per square yard (uncoated) Nylon, plain weave, type 66, treated with fluorocarbon water & stain release agents. 2.0 oz. (+ or - 0.25 oz) polyurethane (pigmented to match fabric color) back coating shall resist oil, discoloration, and be odor free.

Trim

Elastic: 0.6875 inch black colored webbing, dry cleanable.

Design and Construction

Hat Cover: Designed to fit an eight-point class "A" hat. Reverses to high-visibility Elasticized edge

Sized to fit "Pershing" Trooper style peak hat

Sizing

One size fits all.

Customization

Vendor shall ensure proper hat fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO REVERSIBLE RAINCOAT

Manufacturer

Blauer

Style Number

733

Color

Black and Florescent Yellow

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for agency approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for three (3) years. Garments must meet ANSI/ISEA 107-2010 Class II requirements. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0900)

Fabric

100% Polyester Oxford 300Dx300D PU visible coating 2000mm waterproof 3000gm MVP; shall resist oil, discoloration and be odor free. Color as specified above. 100% Nylon Oxford 200Dx200D PU clear coating 2000mm waterproof 3000gm MVP; shall resist oil, discoloration and be odor free. Color as specified above.

Trim

Eyelets: Black 3L matt.

Hook and loop: Black woven nylon base.

Plastic fastener: 100mm translucent plastic pin.

Reflective trim: 2 inch wide, 3M Scotchlite™ silver reflective fabric on 2.5 inch wide black ribbon.

Seam tape: waterproof seam-sealing tape, 1.0 inch in width compatible with the coating compound.

Snaps: non rusting reversible and regular, 24 ligne, gun metal finish nickel on brass, heavy duty closure, black nylon cap.

Front zipper: vislon, two way, 29 inches. (Size L/Reg, Color: black)

Design and Construction

Raincoat: B.Dry waterproof, windproof, breathable reversible 48-1/2" raincoat. ANSI/ISEA 107-2010 Class II certified. Adjustable cuffs with hook and loop closure. Raincoat shall have double storm fly front with reversible delrin zipper. Raincoat shall have hi-contrast Scotchlite™ reflective trim around chest, sleeves, and cuffs. Shoulder shall be Raglan drop for unrestricted movement. Reversible hook and loop sleeve adjustment. Raincoat shall be reversible to high-visibility color.

MCSO REVERSIBLE RAINCOAT – CONT'D

Collar: One-piece collar. Sport collar zips to top.

Pockets: Quick dry taffeta pockets. Two 10-inch welt style cut through pockets for access to equipment.

Sleeves: One-piece sleeves. Hi-contrast Scotchlite™ reflective trim shall be around sleeves and cuffs. Velcro closures around cuffs for tight fit during inclement weather.

Badge Tabs: Badge tabs both sides, that is, the left chest black side of raincoat and left chest florescent yellow side of raincoat.

Microphone Tabs: Microphone tabs on left upper chest and right upper chest of both black and florescent yellow sides of the raincoat.

Sizing

Unisex: XS - 6XL

Measurements

Unisex: Regular length, Size: Large

Chest: 56 (plus or minus 0.75 Inches)

Sweep: 56.25 (plus or minus 0.75 inches)

Back Length 48 (plus or minus 0.75 inches)

Sleeve Inseam 18.5 (plus or minus 0.5 inches)

Customization

Vendor shall ensure proper raincoat fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO REVERSIBLE DUTY JACKET

Manufacturer

Spiewak

Style Number

S315V

Color

Dark Navy and High Visibility Yellow

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for agency approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for three (3) years. Garments must meet ANSI 107-2010 Class III requirements. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0900)

Fabric

The outer fabric shall be two-ply 100% Tactel Nylon with a non-ravel Urethane back coating. The shell fabric shall have a durable waterproof finish. The outer fabric shall be dark navy in color. All sewing shall be done with polyester core thread or 100% spun polyester thread.

The VizMax™ High Visibility fabric (or equal) shall comply with ANSI 107-2010 and EN 471. Third party test results shall be provided upon request. The fabric shall be windproof and waterproof 100% polyester and allow for moisture vapor

transmission (breathability). All seams and retro-reflective tape shall be sealed with hot air applied tape to ensure waterproof integrity. The minimum fabric requirements shall meet the performance levels for the VizMax™ fabric as listed below (minimum standards for ANSI 107-2010 given for reference).

Trim

Eyelets: Black 3L matt.

Hook and loop: Black woven nylon base.

Reflective trim: 2 inch wide, 3M Scotchlite™ silver reflective fabric.

Seam tape: waterproof seam-sealing tape, 1.0 inch in width compatible with the coating compound.

Snap tabs: non rusting reversible and regular, 24 ligne, gun metal finish nickel on brass, heavy duty closure, black nylon cap.

Side vent zipper: 10" nylon coil zippers, black in color, on both sides.

Front zipper: Urethane coated reversible waterproof nylon zipper, black in color, measuring 26" from collar top to waistband bottom.

MCSO REVERSIBLE DUTY JACKET – CONT'D

Design and Construction

Jacket: WeatherTech waterproof, windproof, breathable reversible 26-1/2" duty jacket with hood. ANSI 107-2010 Class III certified. The front shall have a straight yoke. There shall be a urethane coated reversible waterproof nylon front zipper measuring approximately 26" from the top of the collar to the bottom of the waistband. The zipper bottom shall be reinforced by bar tacks. The 2" wide bottom front facings of the waistband shall be formed from shell material and an interlining extending 11-1/4" on either side (size large) of the front opening. There shall be a 2" elasticized back waistband made of shell material sewn with two threads to stretched heavy duty elastic. There shall be a 10" nylon coil zippered side vent on both sides. There shall be a 4-1/2" snap tab closure at the bottom of each side vent to secure the waistband when the vent is worn open. The snap tab shall fasten to one of two male snaps spaced 1-3/4" apart on the front of the waistband. There shall be oxidized metal eyelets on each side of the side vent for moisture drainage. Each jacket shall have a sewn-in woven size label and care instructions in the front left pocket. The collar, cuffs and the waistband shall be of Tactel nylon matching the color of the front side. There shall be an inside facing of Tactel nylon matching the shell of the front side extending to the top reflective band to prevent "see through" of the fluorescent and reflective fabric when the jacket is worn partially open.

Collar: The stand-up collar shall be 4" in width and made of 2 pieces of self-material with an interlining. The collar shall be made of shell fabric on both the front and the hi-visibility side.

Hood: There shall be a waterproof, coated, 7" coil non-separating zipper located at the base of the collar on the outside of the jacket which shall contain a full 3 piece hood with taped seams. The hood shall be made with shell fabric and shall

have elasticized shock cords and sewn-in cord lockers for adjustment. The hood shall be lined with nylon taffeta.

Pockets: There shall be slanted hand-warmer pockets with 8-1/2" long YKK nylon coil zipper closures. There shall be a 9" long X 2" wide snow-proof pocket covers extending from the front yoke to the side seam. The cover shall be rounded on the bottom. The pockets shall be lined with 230T nylon Taffeta.

Sleeves: The sleeves shall be 2-piece and finished with a 1-1/2" elasticized cuff. The cuff shall be formed of shell material on the inside as well as the outside. On the under-sleeve seam there shall be a hidden #3 nylon coil access zipper measuring 8-1/4" in length. The zipper shall provide access for attaching sleeve emblems without compromising the waterproof reverse shell of the garment. An oxidized metal eyelet shall be provided at the cuff to allow for moisture drainage.

MCSO REVERSIBLE DUTY JACKET – CONT'D

Badge Tab: There shall be a badge tab on the left side of the chest. On dark navy side, the badge tab shall be made of shell fabric, 1" wide with 2 metal eyelets spaced 1-1/4" vertically apart. It shall be placed 3/4" above the left yoke and approximately 3-1/2" from the front zipper (size large reg). On the high visibility side, the badge tab shall be made of VizMax™ fabric, 1" wide with 2 metal eyelets spaced 1-1/4" vertically apart. It shall be placed on the left breast 4" above the top horizontal reflective band and approximately 3-1/2" from the front zipper (size large reg).

Reflective Tape: There shall be 2" wide silver reflective tape sewn to the shell for nighttime safety. The reflective properties of the reflective tape and configuration shall meet and exceed the EN-471 and ANSI 107 Class III minimum requirements. A letter of compliance for the reflective tape shall be available upon request. The placement configuration shall consist of two horizontal bands of 2" reflective tape placed 5" apart and 2" above the waistband on the body. There shall a band of reflective tape on the sleeve approximately 2" above the cuff and another band approximately 3-1/2" from the shoulder seam.

Shoulder Epaulets: The epaulets shall be made of shell fabric. They shall be sewn into the sleeve head seam; "X" stitched, and fastened to the jacket at the neck. The epaulets shall measure 8" in length and 2" in width. There shall be a black oxidized female snap 1" from the end of the epaulet that shall fasten to a male snap approximately 1-1/2" from the neckline.

Sizing

Regular: S – 5XL
Long: M – 5XL
Short: S-XL

Customization

There shall be reflective "SHERIFF" lettering on the back of both the dark navy and Hi-Viz sides. Mercer County Sheriff's Office emblem must be supplied by the vendor and to be sewn on the left sleeve. Rank emblems, as applicable, shall

be supplied by vendor and sewn on uniforms at no extra charge to the Sheriff's Office. Vendor must supply all emblems at no additional charge.

MCSO CLASS "A" TIE

Manufacturer

Uniform Cravat

Style

Clip or choke-proof

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

75% polyester, 25% wool, broom 455BOBH.

Trim

Clip: black metal.

Hook and loop: Black woven nylon base.

Design and Construction

Tie: Shall be a solid dark navy clip on or choke-proof hook and loop attachment tie. Design shall be of single knot design measuring approximately 1-1/4" at base of knot to 3" at the bottom of the front vertical portion of the tie.

Sizing

Short

Regular

Long

Customization

Vendor shall ensure proper tie fitment upon order fulfillment without additional charge to Sheriff's Office. The bottom base of a properly fitted tie should just touch or partially cover the officer's uniform duty belt buckle.

MCSO CLASS "A" FULLY LINED DUTY BELT

Manufacturer

Jay-Pee

Style Number

400B 4-Row Stitching

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Duty belts will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Metal stud: black coated steel.

Center metal belt stud: black coated 1" steel.

Main Attachment Buckle: Clear coated double-tongue solid brass 2" wide by 2-7/8" in length buckle.

Slider Keeper: 100% leather.

Design and Construction

Duty Belt: Fully lined 2-3/16" plain finish black leather Sam Browne belt with four rows of stitching with a detachable solid brass double-tongued main attachment buckle. Belt has a center metal 1" belt stud that fastens to the rear of the brass buckle so that the belt fits firmly around the waist. Belt also has a black metal stud to position the belt along with a free-sliding keeper to hold the belt tip in place. This belt style is designed to be worn with an inner "Garrison" style belt and belt "keeper" loops.

Sizing

Regular: 24" to 44"

X-Large: 46" and above

Customization

Vendor shall ensure proper duty belt fitment upon order fulfillment without additional charge to Sheriff's Office. Vendor shall supply main attachment brass buckle without additional charge to Sheriff's Office.

MCSO CLASS "A" SINGLE PLY DUTY BELT

Manufacturer

Jay-Pee

Style Number

NJSP Single Ply

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Duty belts will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Metal stud: Brass.

Main Attachment Buckle: Clear coated double-tongue solid brass 2" wide by 2-7/8" in length buckle.

Slider Keeper: 100% leather.

Design and Construction

Duty Belt: Single ply 2-1/8" plain finish black leather NJSP style Sam Browne belt with an attached solid brass double-tongued main attachment buckle. Belt has

a center metal 1" belt stud that fastens to the rear of the brass buckle so that the belt fits firmly around the waist. Belt also has a free-sliding keeper to hold the belt tip in place. This belt style is designed to be worn without an inner belt. An officer typically utilizes this style of belt for use with a blouse coat, or with a Class "A" motorcycle leather coat, or through the trouser loops of Class "A" trousers.

Sizing

Regular: 24" to 44"

X-Large: 46" and above

Customization

Vendor shall ensure proper duty belt fitment upon order fulfillment without additional charge to Sheriff's Office. Vendor shall ensure main attachment brass buckle is included without additional charge to Sheriff's Office.

MCSO CLASS "A" CROSS STRAP

Manufacturer

Jay-Pee

Style Number

Single Ply

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Duty belts will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Main Attachment Buckle: Clear coated single-tongue solid brass 1-1/4" wide by 1-1/2" in length buckle.

Slider Keeper: 100% leather; black color.

"D" Rings: Two (2) clear coated brass.

"D" Ring leather: 100% leather; black color.

Design and Construction

Duty Belt: Single ply 1-1/4" plain finish black leather cross strap with an attached solid brass single-tongued main attachment buckle which tapers to 7/8" prior to the buckle. Belt has a free-sliding keeper to hold the belt tip in place. This cross strap is designed to be attached to two (2) "D" rings either on a holster or two (2) separate black leather belt loops. An officer typically utilizes this style of belt for use with a blouse coat, or with a Class "A" motorcycle leather coat, or at anytime a more formal appearance is desired with a Class "A" uniform.

Sizing

Regular: 24" to 44"

X-Large: 46" and above

Customization

Vendor shall ensure proper cross strap fitment upon order fulfillment without additional charge to Sheriff's Office. Vendor shall ensure main attachment brass buckle and, if requested, the two (2) brass "D" ring black leather belt loops are included without additional charge to Sheriff's Office.

MCSO CLASS "A" INNER BELT

Manufacturer

Jay-Pee

Style Number

1000SS

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Inner belts will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Metal cap rivet: black coated steel.

Main Attachment Buckle: Brass colored buckle.

Slider Keeper: 100% leather.

Design and Construction

Inner Belt: Single ply 1-1/4" plain finish black leather Garrison belt with an attached brass colored single-tongued main attachment buckle.

Sizing

Regular: 24" to 44"

X-Large: 46" and above

Customization

Vendor shall ensure proper inner belt fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" KEEPER LOOPS

Manufacturer

Jay-Pee

Style Number

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Keeper loops will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Snaps: Brass.

Design and Construction

Keeper Loops: Plain finish black leather loops shall be 3/4" in width and designed to attach 2-1/4" duty belt to a 1-1/4" inner belt with two (2) brass snaps.

Sizing

3/4" width to accommodate 2-1/4" duty belt and 1-1/4" inner belt

Customization

Vendor shall ensure proper keeper loop fitment and style upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" LEVEL III DUTY HOLSTER

Manufacturer

Safariland

Style Number

070

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Holsters will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Safari-Laminate™

Trim

Screws: black coated steel.

Snaps: Black coated brass.

Design and Construction

Holster: Plain black Safari-Laminate™ Level III Retention holster for Glock 23. Holster has mid-ride belt position and cants slightly forward the grip to allow for a comfortable carry and quick, easy draw. Holster has top thumb break and middle finger release tab, and internal ejection port lock.

Sizing & Fitment

Glock 23

Right-handed: 070-83-161

Left-handed: 070-83-162

Customization

Vendor shall ensure proper holster fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" O.C. SPRAY HOLDER

Manufacturer

Safariland

Style Number

38-4-2# #

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. O.C. spray holders will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Safari-Laminate™

Trim

Snap: Brass.

Design and Construction

O.C. Spray Holder: Plain finish black O.C. spray holder with top flap and brass snap measuring 1-1/2" diameter by 4" - 4-1/2" high.

Sizing

Fits Defense Technology MK-3 1.47oz.

Customization

Vendor shall ensure proper style and O.C. spray canister fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" HANDCUFF CASE WITH BRASS SNAP

Manufacturer

Safariland

Style Number

90H

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Cases will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Safari-Laminate™

Trim

Snap: Brass.

Design and Construction

Handcuff case: Plain finish black round bottom handcuff case with top flap and brass snap.

Sizing

Fits one pair of standard chain or hinged cuffs.

Customization

Vendor shall ensure proper style and cuff fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" HANDCUFF CASE WITH HIDDEN SNAP

Manufacturer

Gould & Goodrich

Style Number

B583

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Cases will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Snap: Hidden steel.

Design and Construction

Handcuff case: Plain finish black leather round bottom handcuff case with top flap and hidden snap.

Sizing

Fits one pair of standard chain or hinged cuffs.

Customization

Vendor shall ensure proper style and cuff fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" DOUBLE MAGAZINE CASE WITH BRASS SNAPS

Manufacturer

Safariland

Style Number

77

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Cases will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Safari-Laminate™

Trim

Snaps: Brass.

Design and Construction

Double Magazine case: Plain finish black double magazine case for Glock 23 magazines with top flaps and brass snaps.

Sizing

Fits two Glock 23 magazines
Ambi-dexterous: 77-283-2HS.

Customization

Vendor shall ensure proper style and magazine fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" DOUBLE MAGAZINE CASE WITH HIDDEN SNAPS

Manufacturer

Gould & Goodrich

Style Number

B629

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Cases will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Snaps: Hidden steel.

Design and Construction

Double Magazine case: Plain finish black leather double magazine case for Glock 23 magazines with top flaps and hidden snaps.

Sizing

Fits two Glock 23 magazines

Customization

Vendor shall ensure proper style and magazine fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" PR24 BATON HOLDER

Manufacturer

Gould & Goodrich

Style Number

B525

Color

Plain Finish Black

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Holder will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

100% Leather

Trim

Snap: Steel; black color.

Ring: Steel; black color.

Design and Construction

PR24 Baton Holder: Plain finish black leather PR24 baton and flashlight holder with single black snap. Snap on loop designed to accept duty belts up to 2-1/4" wide.

Sizing

One size fits up to 2-1/4" wide duty belt.

Customization

Vendor shall ensure proper style and finish upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" UNIFORM BADGE**Manufacturer**

Blackinton

Style Number

B1916

Color

Karat Klad finish with dark navy lettering

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Uniform badges will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Badge: Karat Klad solid steel.

Attachment Pin & Rotating Catch: Gold plated steel.

Trim

Permanently rear affixed attachment pin (1-1/2" overall length attached) and rotating catch.

Design and Construction

Badge: The 5-star karat klad uniform badge shall measure 2-11/16" wide from star tip to star tip, and 2-1/8" in height from the top of the center star tip to the bottom center of the badge (located where the two lower star tip bases meet). The state seal of New Jersey and shall be in the center of the badge in karat klad. Next, and outside of the state seal of New Jersey, shall be the words "STATE OF" at the top and "NEW JERSEY" encircling the state seal in blue enamel. Next, shall be the ". SHERIFF'S OFFICE." at the top and "MERCER COUNTY" at the bottom both engraved in dark navy lettering on the karat klad circle on the badge. On each star of the five star prongs, there shall be six (6)

dark navy lines converging to the point of each prong. On the top prong closest to the karat klad circle, there shall be a karat klad panel that specifies rank in engraved capital dark navy letters (i.e. Officer, Sergeant, Lieutenant, etc.). On the top prong closest to the prong's tip, there shall be a karat klad panel that specifies badge number in engraved dark navy numbers.

Attachment Pin & Rotating Catch: A gold plated steel rear affixed pin, measuring 1-1/2" in overall length as attached, with a rotating catch mounted at 1-1/4" from the rotation point of the pin.

Customization

Vendor shall ensure proper badge style, lettering, officer rank, and officer badge number upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" HAT BADGE

Manufacturer

Blackinton

Style Number

B960

Color

Gold Plated finish with dark navy lettering

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Hat badges will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Badge: Gold Plated steel.

Position Pin & Attachment Screw/Nut: 1/4" pin – gold plated, 3/8" screw & 1/2" diameter circular nut – gold plated.

Trim

Permanently rear affixed position pin and attachment screw and circular nut.

Design and Construction

Badge: The 5-star gold plated uniform badge shall measure 1-15/16" wide from star tip to star tip, and 1-1/2" in height from the top of the center star tip to the bottom center of the badge (located where the two lower star tip bases meet). The state seal of New Jersey and shall be in the center of the badge in gold plating. Next, and outside of the state seal of New Jersey, shall be the words "STATE OF" at the top and "NEW JERSEY" encircling the state seal in gold plating with dark navy relief. Next, shall be the ". SHERIFF'S OFFICER." at the top and "MERCER COUNTY, NJ" at the bottom both engraved in dark navy lettering on the gold plated circle on the badge. On each star of the five star prongs, there shall be six (6) dark navy lines converging to the point of each prong.

Position Pin & Attachment Screw/Nut: The position pin shall be located in the center of the rear top prong of the hat badge. The attachment screw and nut shall be located on the rear center of the hat badge.

Customization

Vendor shall ensure proper badge style, lettering, officer rank, and officer badge number upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" NAME PLATE

Manufacturer

Blackinton

Style Number

A8584

Color

Gold plate with black lettering

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Name plates will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Name Plate: Gold plated steel.

Clutches: Gold colored steel.

Trim

Attachments: (2) Gold colored steel clutch back attachments

Design and Construction

Name Plate: The gold plated name plate shall measure 2-3/8" wide by 1/2" in height. The officer's name plate shall be gold plated with black engraved letters. Officer's name shall be in the block lettering. The format shall be as the following example: J. SMITH

Customization

Vendor shall ensure proper name plate style, lettering, and officer's name upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" WHISTLE, HOOK, & CHAIN

Manufacturer

HWC

Style Number

Whistle: HW NPW-1

Hook: HW NWH-1

Chain: HW NSC-1

Color

Gold

General Requirements

The successful bidder will provide a sample within 2 days for Sheriff's Office approval. Whistle, hook, and chain will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Whistle: Gold plated steel with a fine cork ball and gold plated steel attachment ring.

Hook: Brass.

Clutches: Gold colored steel.

Chain: Gold colored steel.

Trim

Clutches: (2) Gold colored steel clutch back attachments

Design and Construction

Whistle: The gold plated whistle is designed for high pitch long range sound for law enforcement standard use. A gold plated ring is on top of whistle for attachment to a hook and chain.

Hook: The brass plate shall measure 1-3/16" wide by 3/8" in height with a 7/8" brass hook and two rear fixed clutches.

Chain: The gold plated "snake" chain shall have a metal button hook on one end for epaulet attachment, and the other end push closure for whistle ring attachment.

Customization

Vendor shall ensure proper style and color upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" BUCKLE CHUKKAS

Manufacturer

Bates

Style Number

E00083

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on chukkas within 2 days for Sheriff's Office approval. Chukkas will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Outer: 100% polish-able leather; black color.

Lining: breathable polyester.

Trim

Buckle: adjustable black single prong metal buckle.

Insert: cushioned and removable.

Design and Construction

Chukkas: Classic black leather 3/4" buckle style Bates Lites® boots with lightweight slip resistant outsoles. Goodyear welt chain stitched to the soles.

Sizing

Available in following sizes: 3 – 11.5 in half sizes, 12, 13. Available in following widths: B, C, D, E, 3E.

Customization

Vendor shall ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO CLASS "A" MOTORCYCLE BOOTS

Manufacturer

Chippewa

Style Number

27950

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on boots within 2 days for Sheriff's Office approval. Boots will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Outer: 100% polish-able leather; black color.

Lining: 100% leather lined.

Insole: Texon®

Outsole: Black #524K Alpha Plus Sole.

Trim

Laces: Top black laces and lower black laces.

Insert: cushioned and removable.

Design and Construction

Boots: Classic 17" high black leather lace style Chippewa Motor Officer Boots with lightweight slip resistant outsoles. The exclusive Vibram® sole compound provides maximum traction on wet/dry surfaces and various terrains. Sole is designed to provide a wide stable platform to distribute officer's weight while not leaving indentations.

Sizing

Available in following sizes: D (6-12, 13, 14); EE (7-12, 13, 14).

Customization

Vendor shall ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO SERT TACTICAL BOOTS

Manufacturer

5.11 Inc.

Style Number

11001

Color

Black (019)

General Requirements

The successful bidder will provide a full size run of try-on boots within 2 days for Sheriff's Office approval. Boots will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Upper: Full grain leather and 1200D nylon.

Inner lining: Sympatex® waterproof-breathable membrane, antibacterial, moisture wicking.

Insole: Armortex® heel, Shock Mitigation System®.

Midsole: Injection molded Phylon.

Outsole: Oil and slip resistant, and quiet.

Outer Toe: Sticky rubber.

Trim

Laces: anti-static, anti-snag black nylon with plasteel tips.

Design and Construction

Boots: Black leather 5.11 HRT 8" Urban Boots designed for urban tactical operations.

Sizing

Men's: 4-15, wide widths available.

Customization

Vendor shall ensure proper officer boot fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO INCLEMENT WEATHER OVERSHOES

Manufacturer

Lacrosse

Style Number

100030

Color

Black

General Requirements

The successful bidder will provide a full size run of try-on overshoes within 2 days for Sheriff's Office approval. Overshoes will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Material

Overshoes: ZXT high-tensile strength waterproof black rubber.

Inner lining: 100% nylon.

Trim

Buckle: adjustable black metal buckle.

Design and Construction

Boots: ZXT Utah Brogue waterproof black rubber overshoes, 14" in height, designed to fit over leather work boots. A diamond chevron cleated rubber outsole provides excellent traction. A top strap and buckle ensure an adjustable and secure fit.

Sizing

Men's medium width in sizes: 6-16.

Customization

Vendor shall ensure proper officer boot fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO HIGH VISIBILITY TRAFFIC VEST

Manufacturer

Spiewak

Style Number

S912

Color

High Visibility Lime-Yellow

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for agency approval. Vest shall have a warranty covering (at minimum) defects in materials and workmanship for three (3) years. Vest complies with FHWA required Rule 23 CFR Part 634 of the Federal Registry. Vest must meet ANSI 207-2006 requirements. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0900)

Fabric

The VizMax™ High Visibility fabric (or equal) shall comply with ANSI 207-2006. Third party test results shall be provided upon request. Exclusive ANSI-compliant, breathable, lightweight VizMax™ open mesh knit fabric.

Vest Base Material: Base fabric shall be 100% lime-yellow polyester knit mesh with a density to meet ANSI 207-2006 specifications as a fluorescent background material. Minimum fluorescence shall be 4.0. Shrinkage shall be less than 3% warp, 3% fill. Piling shall meet a random tumble level minimum 4.5. Garment shall be bound with a 0.5" bias binding of fluorescent fabric matching the background mesh.

Vest Marking Material: The trim shall be ANSI 207-2006 compliant 4.5" wide 100% polyester tricot. The trim color shall be fluorescent lime-yellow color, piece-dyed for stability. All retro-reflective material shall be two-inch (2") wide with a 1/2" black laminated trim on either side of the retro-reflective material. The ANSI 207-2006 compliant retro-reflective bands which shall be thermo fuse bonded to the center of the fluorescent lime-yellow trim. The fluorescent lime-yellow trim material shall be sewn onto the vest for maximum conspicuity vertically over each shoulder and down the front and back with a horizontal trim band sewn around the waist to maintain 360-degree visibility.

Trim

Eyelets: Black 3L matt.

Hook and loop: Black woven nylon base.

Reflective trim: 2 inch wide.

Front zipper: Yellow in color, and measuring 6-3/4" from mid-lower chest to vest bottom.

MCSO HIGH VISIBILITY TRAFFIC VEST – CONT'D

Design and Construction

Vest: High Visibility Traffic Vest is designed for enhanced visibility while working in or adjacent to the roadway. The performance and design criteria of this garment is established to provide enhanced visibility over a wide range of lighting and environmental conditions encountered in the work setting such as twilight, overcast, rain, snow, daylight, and night. Vest shall be home launderable. All materials shall be durable and fit comfortably to promote use.

Labeling: Each garment shall have a size and care label. Each garment shall have an ANSI compliant pictogram label denoting ANSI 207-2006 compliance.

Vest Adjustment System: The vest shall have a 5-point breakaway hook and loop breakaway system at the shoulders, sides, and front closure. The sides' closures shall be compliant trim as specified on both sides with hook and loop closures for 360-degree visibility. The hook and loop shall be heavy-duty, fluorescent yellow color. The side adjustment pieces shall consist of two horizontal 1" loop pieces sewn the width of the front horizontal trim panel and two 1" by 4-1/2" hook pieces sewn on the loose adjustable trim portion to attach to the under panel. The size adjustment system must allow for 26" of adjustment.

Microphone Tabs: There shall be two retro-reflective microphone tabs, one on each shoulder that measure 4-3/4" long x 1" wide with a center opening for microphone attachment measuring 1-7/8" wide.

Lettering: Vest shall have Black Block lettering with "SHERIFF" vertically down the right chest and "SHERIFF" horizontally across the lower back.

Vest Pockets: There shall be an inside pocket on the left side with a hook and loop closure that can be used as a storage pocket when the vest is not in use. There shall also be two pen pockets, one on each side, measuring 4-1/2" long x 3/4" wide made of ANSI 207-2006 compliant lime-yellow tricot. The pen pockets shall be placed on the tricot starting at the top of the side adjustment band and placed closest to the zipper on both sides.

Sizing

Medium: XS-M
2X: L-2XL
4X: 3XL-4XL
6XL: 5XL-6XL

NOTE:

Size 2XL shall have a front length of 25" and a center back length of 25".

Customization

There shall be "SHERIFF" black lettering on the front vertically lettered, and on the back horizontally lettered. Vendor shall ensure proper officer fitment upon order fulfillment without additional charge to Sheriff's Office.

MCSO ACADEMY UNIFORMS

Style#: 874NV

Navy Dickies Trousers: 8 1/2 oz Twill, 65% polyester /35% cotton.

Permanent sewn in creases

Style#: 574NV

Navy Dickies Long Sleeve: 5 ½ oz. Twill. 65% polyester /35% cotton

5 Permanent sewn in creases. (2 front, 3 back)

MCSO CLASS "A" TIE

Manufacturer

Uniform Cravat

Style

Clip or choke-proof

Color

Dark Navy

General Requirements

The successful bidder will provide a full size run of try-on garments within 2 days for Sheriff's Office approval. Garments will have a warranty covering (at minimum) defects in materials and workmanship for one (1) year.

Fabric

75% polyester, 25% wool, broom 455BOBH.

Trim

Clip: black metal.

Hook and loop: Black woven nylon base.

Design and Construction

Tie: Shall be a solid dark navy clip on or choke-proof hook and loop attachment tie. Design shall be of single knot design measuring approximately 1-1/4" at base of knot to 3" at the bottom of the front vertical portion of the tie.

Sizing

Short

Regular

Long

Customization

Vendor shall ensure proper tie fitment upon order fulfillment without additional charge to Sheriff's Office. The bottom base of a properly fitted tie should just touch or partially cover the officer's uniform duty belt buckle.

BELT

The uniform belt shall be a Garrison-type made of smooth, full grain leather, 1-1/2" wide, black in color and shall have a square, open face, nickel-plated buckle.

SIZES AND MEASUREMENTS:

SIZE RANGE

The size range shall be unisex sizing:

Regular: XS - 3XL

Long: M - 3XL

MCSO ACADEMY UNIFORMS: CONT'D

MEN'S SHOES:

Men's shoe shall be Black 5-eyelet plain toe Oxford or approved equal. The upper material shall be smooth black leather. The heel and outsole shall be ultra lightweight slip resistant.

BASEBALL CAP

FABRIC:	65% Polyester / 35% cotton
TAPE:	5/8" Black double fold poly/cotton
SWEATBAND:	1¼" wide 65 % poly/35% cloth twill
VISOR FILLER:	Texon 400 (natural)
ADJUSTO STRAP:	Flex Fit
SEAM ALLOWANCE:	3/8"
SIZING:	Flex Fix
LABELS:	Size & supplier labels
VISOR:	6 row stitching
COLOR:	Black
EMBLEM:	None

**MERCER COUNTY CORRECTION CENTER
1750 RIVER ROAD
LAMBERTVILLE, NEW JERSEY 08560
CONTACT PERSON: TANGELA WRIGHT (609) 583-3545**

PURPOSE AND INTENT

It is the intent of the County of Mercer to purchase Officers uniforms for the Mercer County Correction Center from two vendors. All bid prices must include alternations, fittings and sewing on of patches. The awarded vendor will supply patches. Garments not properly sewn, tailored, and pressed will not be accepted. The contractor will be responsible for delivering the uniforms, clothing and footwear to the County of Mercer and ensuring the uniforms, clothing and footwear are fitted correctly. All hanging garments must be delivered on hangers.

VENDOR GENERAL REQUIREMENTS

Class "A" uniforms must be made available within 24 hours of ordering. Facility must have a full tailor shop on premises. Vendor must supply all emblems at no additional charge. Vendor must keep supply of emblems in stock. All prices must include all shipping and freight charges. No additional payment will be made for this service.

VENDOR MEASUREMENTS & FITTING

The successful bidder shall take individual measurements. Try on garments for all bid items must be available for each individual at time of measurement. Each uniform shall fit to the satisfaction of each individual. Male and Female sizes must be available for try-on. All alterations must be done at no extra charge to department. All fittings shall be inspected by the Warden or his designated representatives and any discrepancies shall be decided solely by the Warden.

VENDOR PROXIMITY FOR FITTING

It will be required that the successful bidder have one or more permanent

outlets at all times during the contract period within 20 miles of the Correction Center's main location. All fittings must take place at the department's headquarters or such place and times deemed convenient by the department. Garments are to be individually pressed and delivered in hanging bags ready to wear with the officer's name in a conspicuous location on outside of bag.

VENDOR SUBMISSION OF ALTERNATE GARMENTS

All garments and trims must match existing department uniform exactly. Alternate samples must be supplied with the bid package.

DUTY UNIFORM TROUSERS

Fechheimer Brother's Company #98289 or approved equal

FABRIC:

100% Textured Polyester. Serge Weave 11.75 OZ./Linear Yard (60-61" WIDTH) GRAB TENSILE: 154 .lbs Warp-173 .lbs fill. TONGUE TEAR:14 .lbs Warp-12 .lbs fill. Fabric shall incorporate a permanent wash and dry cleanable moisture transport/soil release finish.

COLOR:

Dark Navy Blue

DESIGN:

Trouser shall be manufactured from a man's uniform trouser pattern. The trouser styling shall incorporate a plain front and straight leg bottoms. The trouser will have two straight side pockets, two hip pockets, a dropped watch pocket and one club pocket.

POCKETING:

The pocketing shall be 70% Polyester/ 30% Cotton, 2.9 oz. Per square yard (60" width) with a minimum 78 X 64 count. Pocketing must have a durable press finish and the color of the pocketing must be black.

POCKET DESIGN:

The two side pockets will have a minimum opening of 6 ¼" and a minimum depth of 5 ¾" measured from the bottom of the pocket opening. Side pockets shall have firm straight bartacks at top and bottom of pocket openings (use of triangle bartacks will be caused for rejection). Pockets shall be constructed using the stitch, turn and topstitch method. Pocket facings shall be made of the basic fabric and measure a minimum of 1 ½" from the bottom of the pocket opening.

The two hip pockets shall have a minimum opening of 5 ½" and a minimum pocket depth of 5 ¾" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on a REECE PW

machine and the welts shall be finished in such a manner that there is no top stitching (top stitched hip pocket welts shall be cause for rejection). The corners of the hip pockets shall have firm straight bartacks for reinforcing strength. Use of triangle bartacks will be cause for rejection. Both hip pockets shall have rounded pocket flaps (New Jersey style) with button/buttonhole closure. The watch pocket shall be located on the right front 1" inch below the waist band. This pocket shall have a minimum opening of $\frac{3}{4}$ " depth $3\frac{3}{4}$ ". The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces securely stitched together. Each corner of the pocket opening shall have firm straight bartacks.

There shall be a club pocket located $5\frac{1}{4}$ " (plus or minus $\frac{1}{4}$ ") below right hip pocket. The club pocket shall be $1\frac{1}{4}$ " (plus or minus $\frac{1}{4}$ ") from the side seam with a minimum opening of $3\frac{1}{2}$ " and a minimum depth of 8". Pocketing material to be same as side and hip pockets. Club pocket shall be constructed using the double welt method on a REECE PW machine and the welts shall be finished in such a manner that there is no top stitching (top stitched hip pocket welts shall be cause for rejection). The corners of the hip pockets shall have firm straight bartacks for reinforcing strength. Use of triangle bartacks will be cause for rejection.

DUTY UNIFORM TROUSERS CONT'D

WAISTBAND:

The waistband shall be constructed using the "closed method" and shall measure $2\frac{1}{4}$ " wide when finished. The waistband curtain is to be made of the same fabric and color as the pocketing material and must be attached to the trouser with a zig-zag stitch. The waistband must contain BAN-ROL to prevent roll over and have three strand Snugtex to keep shirts tucked in. The waistband closure shall be accomplished with two sets of crushproof hooks and eyes. The hook and eye shall be reinforced with stays made of non-woven fabric that are anchored by the top stitching for the fly facing and curtain. This top stitching must be to the top of the waistband. The waistband shall be set on and closed using a lockstitch (use of chainstitch is unacceptable) to stitch in the band seam through the outer fabric and the waistband curtain. The waistband must be top stitched $\frac{1}{16}$ " below the waistband seam for added strength.

FLY:

Trouser shall have a metal memory lock zipper. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic cloth (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric as the waistband curtain and pocketing. The fly lining shall be sewn to the left fly below the zipper in a neat and durable manner. A button shall be located on

the left fly corresponding with the French Fly tab to provide clean and comfortable closure. There shall be a firm straight bartack at bottom of fly going through the zipper tape.

BELT LOOPS:

There shall be a minimum of 7 interlined ¾" wide belt loops. All loops shall be tacked to the trouser ½ " below the bottom of the waistband. The top of the belt loops (except for the center back loop) shall be caught in the waistband curtain seam with a Rocap machine. The top of the center back loop shall be tacked to the outside of the waistband.

STRIPE:

The trouser shall have a 1 ½" washable french blue stripe. The stripe shall run from the bottom of the waistband to the bottom of the trouser.

STITCHING, PRESSING, & FINISHING:

Trouser must be stitched with matching thread and all stitching to show must be 10-11 stitches per inch. Trouser must be neatly pressed on Hothead Presses and properly shaped. Outseams and inseams must be pressed open. Trouser must be cleaned and finished to eliminate loose threads.

LABELS:

Trouser must have a care label permanently affixed that also indicates the size. A paper ticket showing the size, fabric content, cut number, and WPL number must be on the outside of the waistband.

STOCK SIZES:

Trouser must be available in the following stock sizes:

REGULAR RISE: 28-50 (even only over 38)

LONG SLEEVE SHIRTS

MATERIAL:

Basic material shall be 8 ounces per linear yard, Tropical weave, 100% Texturized woven Dacron Polyester and shall have a Zelcon finish. Tex-Trop or approved equal. Color - French Blue and Dark Navy Blue for Superior Officers.

STYLE:

All shirts shall be custom tailored for each individual officer. Shirts shall have permanent sewn-in military stitches.

TAILORING:

It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must have the proper tension and size to avoid puckering after the shirt has been laundered in order to give the best durable press performance.

All sewing shall be with Dacron core thread to match shirt fabric.

Collar and cuffs shall be single stitched ¼" from edge. The pockets and flaps shall be single stitched on the edge.

CREASING:

Pockets and pocket flaps shall be die creased to give uniform shape and size.

Shirt shall have permanent military creases. Creases shall be stitched in shirt only, not through pockets and flaps. There shall be one crease in each front extending from hem to joining seam, three (3) vertical creases in back, a middle crease on center back line and side back creases spaced equally from the center crease.

COLLAR:

The shape and style of both leaf and stand shall conform to the TT89 Collar. The medium spread points shall be approximately 3" in length. The back of the stand shall measure 1½".

The leaf shall be made of four pieces - two pieces of self cloth, one whole lining, and one piece of strip lining which shall be fused to the collar lining.

Permanent collar stays of proper length shall be sewn through bottom leaf. The stand shall fasten with one button.

Inner stand and inner yoke shall be made of matching 65% Dacron Polyester/35% Combed Cotton, 4.2 ounce per square yard, 106 x 58.

Collar stays shall be made of good quality stalar vinyl, 2½" in length and 3/8" wide.

SLEEVE:

The sleeve shall be straight and whole. The cuffs shall be 2 7/8" in width and fastened with two buttons. There shall be a single stitch 7/16" from top of cuff.

Sleeve opening shall measure 4 7/8" from top of cuff. The top facing for this opening shall be 1¼" wide and the bottom facing to finish about ½" wide.

Button shall be placed on sleeve opening with corresponding buttonhole. Sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so that it will properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

BANJO ELBOW:

There shall be a banjo shaped piece of self goods attached to the sleeve starting above the elbow and continuing down the sleeve forming the top sleeve facing.

LONG SLEEVE SHIRTS CONT'D

FRONT:

The front shall have a center facing 1½" wide extending from the collar stand to the bottom of shirt and shall be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six (6) vertical Reece buttonholes placed ¾" from edge and 3½" apart. The 7/8" wide button stand shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

BACK:

There shall be a yoke composed of an outer piece of the same material as the basic shirt and an inner piece of poplin, Western Single Pointed Yoke, 5½" finish.

POCKETS:

Pockets shall have two breast pockets with miter corners to finish 5 5/8" wide and 6" long. The left breast pocket shall have a pencil compartment about 1 1/4" wide. Both pockets shall have 1 1/2" box stitching top and bottom to prevent spreading. Pockets shall have a small buttonhole for the insertion of a metal shank button.

FLAPS:

Flaps shall have two scalloped flaps to finish 5 3/4" in length, 2 3/4" in width at center, and 2 1/2" in width at sides. Flaps shall be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap shall have a pencil opening about 1 1/2" in width. Flaps shall be interlined. There will be a matching button and a buttonhole sewn on the flap.

FLAP CLOSURE:

The side points of the flaps shall be secured to the pockets by means of gripper snaps onto the flaps and pockets.

BADGE TAB:

The Badge Tab shall be a patch of basic material on the outside of the left front about 3/4" above the center of the left pocket flap. The patch is to have two (2) metal eyelets 1 1/4" apart for the insertion of a badge. The patch shall measure 2 1/4" x 1" wide.

SHOULDER STRAPS:

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1 3/8". Straps shall be set about 1/2" from the collar. Shoulder straps shall be box stitched to the shoulders with a row of cross stitching 2" from sleeve head seam. An accommodation for metal buttons shall be provided with a protective piece.

BUTTONS:

Buttons shall be made from thermo-setting polyester material and must match fabric.

EMBLEMS:

Mercer County Correction Patches shall be supplied by vendor and sewn on left sleeve at no charge to the county.

NAME PLATE – STYLE # NEW HERMES

Nameplate shall measure 2 3/8 X 1/2". The officer's nameplate shall be silver with black engraved letters.

SHORT SLEEVE SHIRT

SHIRT:

Shirts shall meet the same specifications as winter shirts except it shall have an open style collar, half sleeves and shirt front which shall have a one piece facing not a placket and shall be lined with fusible pellon lining on button hole and button side to reinforce button hole and button firmness. Color – French Blue and Dark Navy Blue for Superior Officers.

MEN'S TACTICAL POLO SHIRTS – SHORT SLEEVE

SIZES L – XL

SIZES 2X – 3X

MEN'S TACTICAL POLO SHIRTS – LONG SLEEVE

SIZES L – XL

SIZES 2X – 3X

LONG SLEEVE CLASS B SHIRT

BLAUER 8703-7A, NO SUBSTITUTE

COLOR: FRENCH BLUE

STANDARDS: All garment details specifically described herein, tailoring, styling, materials, and components must match the standard reference sample. Samples may be subject to laboratory testing at the discretion of the contracting officer. Manufacturers are responsible for all testing costs of their sample garment. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

SHIRT MATERIAL: 6.5 oz. per square yard 2 x 1 twill weave in a 65% polyester / 35% cotton fiber blend with 10-12% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care. (Color: French blue)

INTERLINING: small parts: 100% polyester. Front placket: 50% cotton

HOOK AND LOOP: Woven nylon base

BUTTONS: melamine, 20 ligne, matching shell fabric

DESIGN AND

DESTRUCTION: Long sleeve uniform shirt. 5 crease military style with permanent silicone adhesive creases. Top fused convertible sport collar. Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure. 2 button adjustable cuffs. Epaulets. Extra long shirt tails.

SIZES: Men's:

Body length regular: sleeve length: short (31-32) sizes S-XL

Body length regular: sleeve length: regular (32.5-33.5) sizes S-3XL

Body length regular: sleeve length: regular (34-35) sizes M-3XL

Body length tall: sleeve length Xlong (35.5-36.5) sizes L-3XL

MEASUREMENTS:

Men's: regular length: L

- a. Neck: 17.25 (plus or minus .5 inches)
- b. ½ chest: 25.25 (plus or minus .75 inches)
- c. Back length: 32.5 (plus or minus .5 inches)

Women's: regular length: M

- a. Neck 15.5 (plus or minus .5 inches)
- b. ½ chest: 22 (plus or minus .75 inches)
- c. Back length: 28.5 (plus or minus .5 inches)

LONG SLEEVE CLASS B SHIRT CONT'D

NAMETAPES:

1st initial Last name to be sewn on 1 x 6" black nametape placed over left pocket

Supervisors Rank 1st initial last name

Officer's silver

Supervisor's gold

FACILITY INITIALS:

COLLAR INSIGNIA:

A rectangular black patch with the identification initials of the correctional facility/unit to which officer is assigned shall be worn across the tip of each shirt collar. Officers silver, Supervisors gold.

EMBLEMS:

Mercer County Corrections emblem sewn on left sleeve

Regular American flag sewn on right sleeve

Mercer County cloth badge sewn on left chest

NOTE:

All nametapes, collar insignia, sleeve emblems, cloth badges, and flags to be supplied by the vendor at no extra charge to the county.

SHORT SLEEVE CLASS B SHIRT

BLAUER 8713-7A, NO SUBSTITUTE

COLOR: FRENCH BLUE

STANDARDS:

All garment details specifically described herein, tailoring, styling, materials, and components must match the standard reference sample. Samples may be subject to laboratory testing at the discretion of the contracting officer. Manufacturers are responsible for all testing costs of their sample garment. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

SHIRT MATERIAL:

6.5 oz. per square yard 2 x 1 twill weave in a 65% polyester / 35% cotton fiber blend with 10-12% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care. (Color: French blue)

TRIM:

Interlining: small parts: 100% polyester front placket: 50% polyester 50% cotton

Hook and loop: woven nylon base

Buttons: melamine, 20 ligne, matching shell fabric

DESIGN AND CONSTRUCTION:

Short sleeve uniform shirt 5 crease military style with permanent silicone adhesive creases Top fused convertible sport collar. Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure. Epaulets Extra long shirt tails.

SIZING:

Men's: regular length: S-3XL

Women's: regular length: XS-2XL

MEASUREMENTS:

Men's: regular length: L

a. Neck: 17.25 (plus or minus .5 inches)

b. ½ chest: 25.25 (plus or minus .75 inches)

c. Back length: 32.5 (plus or minus .5 inches)

Women's: regular length: M

a. Neck 15.5 (plus or minus .5 inches)

b. ½ chest: 22 (plus or minus .75 inches)

c. Back length: 28.5 (plus or minus .5 inches)

d. ½ chest: 22 (plus or minus .75 inches)

e. Back length: 28.5 (plus or minus .5 inches)

NAMETAPES:

1st initial Last name to be sewn on 1 x 6" black nametape placed over left pocket.

Supervisors Rank 1st initial last name

Officer's silver.

Supervisor's gold

SHORT SLEEVE CLASS B SHIRT CONT'D

FACILITY INITIALS:

COLLAR INSIGNIA: A rectangular black patch with the identification initials of the correctional facility/unit to which officer is assigned shall be worn across the tip of each shirt collar

Officer's silver

Supervisor's gold

Emblems:

Mercer County Corrections emblem sewn on left sleeve

Regular American flag sewn on right sleeve

Mercer County cloth badge sewn on left chest

Note:

All nametapes, collar insignia, sleeve emblems, cloth badges, and flags to be supplied by the vendor at no extra charge to the county.

CLASS B TROUSER

BLAUER 8819-7A, NO SUBSTITUTE

COLOR: DARK NAVY

STANDARD:

All garment details specifically described herein, tailoring, styling, materials, and components must match the standard reference sample. Samples may be subject to laboratory testing at the discretion of the contracting officer. Manufacturers are responsible for all testing costs of their sample garment. Garments will have a warranty coverage (at minimum) defects in materials and workmanship for one (1) year. Garments must be manufactured to ISO 9001 quality assurance standard. (AG1710)

PANT MATERIAL:

6.5 oz. per square yard 2 x 1 twill weave in a 65% polyester / 35% cotton fiber blend with 10-12% filling stretch that is pre-cured for wrinkle resistance and treated with a soil-release finish. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.

(Color: dark navy)

POCKET:

70/30 polyester cotton twill, not less than 3.0 oz. sq. yd. Front quarter pockets, cargo side pockets, and inverted double cord hip pockets with flaps. All pockets secured with bartacks

INTERLINING:

polyester non-woven

BINDING:

polyester/cotton bias cut

WAISTBAND:

polyester, spandex, nylon blend with double strip of silicone shirt grip. Stretch waistband with stretch edge control. Interlined with belt loops inserted in bottom of waistband and tacked at top 3" opening. Outlines in waistband (back) and thigh inseam.

FLY ZIPPER:

nylon coil #4.5 with auto lock slider

DRAWSTRING:

100% polyester gross grain ribbon. Finished hem with drawstring closure.

HOOK AND EYES:

nickel-plated, double hook and eye closure.

BUTTONS:

melamine, 22 ligne, matching shirt material

CLASS B TROUSER CONT'D

STRIPE:

polyester/cotton, Color: french blue. Stripe color and fabric must match the shirt. 1 ½" stripe sewn along outseam from bottom of waistband to hem, over side pocket flap and pocket bag. Stripe to be made from the same material as the shirt so as to match exact.

DESIGN AND

CONSTRUCTION:

Loose pattern through seat and thigh. Tandem needle seat seam. Seat, inseam, and outseams pressed open. 10-12 stitches per inch (all seams). Quarter linings in front quarters.

SIZING:

Men's: regular length: even waist sizes 28-54; odd sizes 31-37

Women's: regular length: even dress sizes 6-24

MEASUREMENTS:

Men's: regular length: Waist size 36:

- a. ½ waist: 18 (plus .25 inches)
- b. Seat: 23.75 (plus or minus .25 inches)
- c. ½ knee: 11.75 (plus or minus .25 inches)
- d. ½ bottom leg: 8.875 (plus or minus .25 inches)
- e. inseam: 33.5 (plus or minus .5 inches)
- f. Out seam: 42.25 (plus or minus .5 inches)
- g. Front rise: 10.5 (plus or minus .25 inches)
- h. Back rise: 16.25 (plus or minus .25 inches)

Women's: regular length: dress size 12

- i. ½ waist: 15.5 (plus .25 inches)
- j. Seat: 22.75 (plus or minus .25 inches)
- k. ½ knee: 10.875 (plus or minus .25 inches)
- l. ½ bottom leg: 8.5 (plus or minus .25 inches)
- m. Inseam: 30.5 (plus or minus .5 inches)
- n. Out seam: 41 (plus or minus .5 inches)
- o. Front rise: 11.875 (plus or minus .25 inches)
- p. Back rise: 15 (plus or minus .25 inches)

*** Class B uniforms are optional uniform apparel and purchased at the expense of the employee.**

WEATHERTECH®/WATERPROOF SYSTEMS SHELL JACKET**STYLE:**

Spiewak #S3616

SHELL FABRIC

The shell fabric shall be Tactel® - 100% Nylon two-ply with a water repellent finish.

EMBLEM:

Mercer County Correction Patches shall be supplied by vendor and sewn on left sleeve.

Inside Detail**Permanent Body Lining**

Cloth type: 100% Nylon Taffeta, 70 Denier warp and fill, color black, with a waterproof breathable – WeatherTech™ coating. All lining joining seams shall be safety stitched and then sealed with 1" heat sealed tape to prevent leakage. The tape shall be

applied by hot air method. All stitching through the shell lining shall be sealed with waterproof tape. The lining material shall extend through the top collar of the shell garment to form a waterproof barrier. There shall be 2 female snaps at the seam joining point and opposite, approximately 2 ¼" from the sleeve bottom, to attach to the removable liner.

The parka lining shall be 100% 210T nylon taffeta. There shall be inside zippers sewn on top of front zipper tape on both sides to accommodate an optional zip-in liner (S525V, or S526CF). The inside facing zippers shall be #5 Delrin reversible measuring approximately 26" long. There shall be an 8" nylon coil zipper on a facing of shell material for access to the outer shell for embroidery or customization to the left front without sewing through the lining.

FRONT

There shall be a 2-way zip to the neck YKK zipper with a double storm fly that secures with 6 snaps (size Large/Regular).

POCKETS

There shall be 2 zippered pockets, one on each side under the double covered wind fly. Each pocket shall measure 9" long. There shall be 2, 2-way front pockets on the outside front of the jacket shell which shall be lined with fleece and snap close. Next to each front pocket, closest to the zipper, there shall be 2 Val covered, zippered storage pockets. Each pocket shall measure 8" long. Inside the jacket there shall be 2 welt covered, zippered storage pockets made of shell fabric on the outside and lining fabric on the inside of each pocket. The pockets shall measure 9 ¼" long by 6 ½" wide (+/- .5").

EPAULETS

There shall be two crossed stitched epaulets that attach to the shoulders of the garment with a snap. The epaulets shall measure 7" long by 2" wide and forming a point at the end closest to the neckline (size Large/Regular).

BOTTOM BAND

There shall be an elasticized back bottom band with a full front bottom band. There shall be zippered side vents that have a double snap adjustment on each side. The side vent zippers shall measure approximately 10" long.

WEATHERTECH®/WATERPROOF SYSTEMS SHELL JACKET CONT'D

SLEEVES

The sleeves shall be two-piece, semi-modified dolman construction for complete freedom of movement. There shall be a black enameled eyelet located approximately ½" up from each cuff to allow for drainage. The shoulder seams shall have an inside facing on the sleeve side, 1 ½" wide, of WeatherTech® waterproof/breathable material and taped with sealing tape to prevent leakage. The reinforcement patch shall be 5 sided. The under sleeves shall feature ventilating pit-zips with #5 Delrin zipper that measure approximately 12" long. The pit-zips shall be covered with a welt of shell material 12" long X ½" wide.

CUFFS

There shall be a cuff formed of 2 pieces of shell material approximately 1 5/8" wide at the bottom. Half of the cuff shall be heavy-duty elastic stretched and sewn with 2 threads. There shall be a cuff tab adjustment approximately 1 ¼" wide tapering to approximately ¾" wide by 3" long with a female snap. The top half of the cuff shall be interlined and shall have 3 male snaps for cuff adjustment.

HOOD

There shall be a Val covered zipper with a 3-piece, drop in, waterproof hood. The Val cover shall measure 8 ¾" long. The hood shall be constructed of shell material and lined with a Weather Tech® waterproof/breathable lining that shall drop in between the shell and lining at the collar. The hood shall be attached to the bottom of the zipper opening on the under collar. The under collar opening shall be approximately 1" from the neckline and 2 ½" from end of the collar and close with a 7" nylon coil zipper. All hood lining joining seams shall be taped with 1" waterproof tape applied by the hot air method to prevent leakage. There shall be an elasticized draw cord with double hole, self-contained cord locks for hood adjustment and inserted into each side of the hood.

BADGE TAB

The tab shall be placed in the front pocket, attached with a swift tab, and shall be 3 ¼" in length and 1" in width unfinished. The eyelets shall be 1 ¼" from the center of one oxidized metal eyelet to the center of the other oxidized metal eyelet.

COLLAR

The collar shall be made of 2 plies of the shell material with an interlining sewn to the top collar for stability and measure 3 ¾" high. The collar points shall be well shaped and symmetrical. There shall be a 7" nylon coil zipper opening on the under collar centered approximately 1" up from the neckline and 2 ½" from the top of the collar edge for the drop in hood. There shall be 4" triangle covers on both edges of the collar to secure the optional jacket liner collars when inserted into the shell parka.

SNAPS

All snaps shall be spring loaded compression snaps.

COLORS

Dark Navy (011)

SIZES

Regular Small – 5XL

Longs

Medium – 5XL

PUBLIC SAFETY SOFT-SHELL DUTY JACKET LINER

STYLE: Spiewak #S318Z Liner

EMBLEMS

Mercer County Correction Patches shall be supplied by vendor and sewn on left sleeve.

DESIGN

The garment shall be full cut, waist length intermediate soft-shell jacket with performance features designed for public safety use. The garment shall have a full zip front to the top of the collar, side vent zippers, adjustable sleeves, waist draw cord, and zippered hand warmer pockets. All dimensions and lengths are based on men's size large. Dimensions and lengths for all other sizes must be graded appropriately.

FABRIC

The fabric shall be a 3-layer soft-shell whose content is 80% polyester 20% polyurethane and whose construction is 270T/75D and weight of 315gsm. The three layers are as follows: outer face made of 100% polyester mechanical high-elastic PPT fiber, inner face made of 100% polyester 100D/144F 165-175gsm non-pill fleece, and a waterproof/breathable hydrophilic polyurethane membrane bonded in-between.

BODY DETAIL

The front zipper shall be a 26-inch YKK Vislon zipper. There shall be an inside storm flap. The hand-warmer pockets shall have a 7 inch nylon coil zipper. The hand warmer pockets shall be lined with tricot. There shall be a YKK #5 10" nylon coil side vent zippers that shall allow access to equipment or duty belt. There shall be a snap tab to hold side vent zippers when opened. The shoulders feature mic-tabs / epaulets permanently affixed and made from same shell fabric, placed atop a stitched triangular panel wider at the shoulder and narrower at the neck. The body of the jacket shall be tapered to allow the garment to be tucked. The sleeves shall be constructed with a separate stitched panel below the elbow. The inside of the sleeves shall be fully lined with smooth Tricot mesh, for wearer comfort, and ease of use. The gusseted cuff shall be gathered and sewn with elastic and a closure tab using YKK Power hook and loop. There shall be a loop made of shell fabric at the lower cuff sewn into the gusset seam to allow for sleeve attachment into any of the compatible Weathertech® systems shells. There shall be side panels constructed under each armhole and the 7" zippered side pocket shall align with the front seam of the side panel on each side of the garment.

INSIDE DETAIL/POCKETS

Two large inside pockets are to be in the garment constructed of two layers of tricot with a bound opening at the top. The inside pockets shall extend from the center front to the front seam of the side panels. There shall be a tunneled draw cord at the bottom sweep on the front of the jacket. The tunnel shall be created by folding under the shell fabric at base of garment. The draw cord shall be elasticized and the ends sewn down inside the tunnel at the front ends and shall exit the tunnel at either side of the garment

using two finished button holes. At the exits the draw cord shall have a bead and barrel lock to allow the cord to be tightened. There shall be a snap tab on each front seam of the side panel on the inside of the garment up from the bottom to secure the elasticized shock cord when tightened. The snaps on the tabs shall be compression nipple snaps. The back bottom inside band of the garment shall have an elasticized gripper.

The S318 must be compatible to be able to zip into any of the existing Weathertech® waterproof shells.

PUBLIC SAFETY SOFT-SHELL DUTY JACKET LINER CONT'D

COLOR

Navy (011)

CARE

Garment to be fully machine washable. Tumble dry low.

SIZES

REGULAR S-5XL

LONG M-5XL

BASEBALL CAP

FABRIC:	65% Polyester / 35% cotton
TAPE:	5/8" Black double fold poly/cotton
EYELETS:	6 sewn eyelets
SWEATBAND:	1¼" wide 65 % poly/35% cloth twill
VISOR FILLER:	Texon 400 (natural)
ADJUSTO STRAP:	Velcro closure back strap
SEAM ALLOWANCE:	3/8"
SIZING:	1" Velcro closure
BINDING TAPE:	¾" black flat, bias, poly/cotton
LABELS:	Size & supplier labels
FRONT STIFFENER:	White perx 60 med. hand, nylon/cotton membrane
VISOR:	6 row stitching
COLOR:	P&F shade Dark Navy Blue
EMBLEM:	Mercer County Correction Patches shall be supplied by vendor and sewn on at no charge to the county.

DRESS HAT

FABRIC

The hat shall be made with Hamburger Woolen #420 P & F shade, 100% polyester.

COLOR

The color shall be dark navy blue to match the trouser.

DESIGN

The design shall be Pershing style. The top shall be oval shaped with medium saddle. Inner band shall be made of the same materials as the top, finished with a welt at the lower edge. Fastened at the sides with Silver Metal New Jersey buttons for officers. The front shall have a plastic front strap.

VISOR

The visor shall be style # 400 [1" w/a short drop]

SWEATBAND

The inner sweatband shall be non-foamed back first quality leather.

EMBROIDED WATCH CAP

Blue

Military style

Small departmental patch embroidered on the front

100% acrylic

This winter cap is great for keeping the winter chill off your head while working outdoors.

NECK TIE

Black 45% wool, 55% polyester

Ready-made knot-metal bend over hook-on style with button tie-down, 3 inches wide.

SHOES

MEN'S BOOTS:

Men's boot shall be Black full grain leather & 1200D nylon upper, 8" height. High performance waterproof breathable membrane or approved equal. The heel and outsole shall be oil and slip resistant.

WOMEN'S BOOTS:

Women's boot shall be Black full grain leather & 1200D nylon upper, 8" height. High performance waterproof breathable membrane or approved equal. The heel and outsole shall be oil and slip resistant.

MEN'S SHOES:

Men's shoe shall be Black 5-eyelet plain toe Oxford or approved equal. The upper material shall be smooth black leather. The heel and outsole shall be ultra lightweight slip resistant.

WOMEN'S SHOES:

Women's shoes shall be Black 4-eyelet plain toe Oxford or approved equal. The upper material shall be black smooth leather. The outsole and heel shall be lightweight and slip resistant.

BELT

The uniform belt shall be a Garrison-type made of smooth, full grain leather, 1¾" wide, black in color and shall have a square, open face, nickel-plated buckle.

SIZES AND MEASUREMENTS:

SIZE RANGE

The size range shall be unisex sizing sizes 24" through 54"

OTHER REQUIREMENTS:

STOCK PRODUCT:

The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of in-stock availability.

LIMITED WARRANTY:

The sample and contract garments shall carry a manufacturer's printed warranty hangtag. A sample warranty hangtag must accompany the bid package as well. The tag shall instruct the owner of their rights under the warranty. The Limited Warranty will contain at minimum the following:

WARRANTY COVERAGE: Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in materials and workmanship for a period of three (3) years from date of purchase.

WARRANTY SERVICE: Should a covered product become defective during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

ACADEMY UNIFORMS

Style#: 874NV

Navy Dickies Trouser: 8 ½ oz Twill, 65% polyester /35% cotton.
Permanent **sewn in creases**

Style#: 574NV

Navy Dickies Long Sleeve: 5 ½ oz. Twill. 65% polyester /35% cotton
5 Permanent **sewn in creases**. (2 front, 3 back)

Style#:973

Navy Jerzees Sweatpants: 8oz. 50% polyester /50% cotton
Inside drawcord.
Elastic cuffs.
2" gold block letters on back – Last Name

Style#: 562

Navy Jerzees Sweatshirt: 8oz. 50% polyester / 50% cotton.
Pill-free
Double-needle coverseamed stitching on neck,
shoulders,
armholes and waistband.
Spandex in neck, cuffs, and waistband.
2" gold block letters on front – Last Name

Style#: G200

Navy Gildan T-Shirt: 6.1oz. 100% preshrunk cotton.
Double needled stitching
Seamless topstitched collar
Taped neck and shoulders.
2" gold block letters on front – Last Name

STYLE#: 44S30

Navy Gildan Gym Short: 5.5oz. 100% polyester.
9" inseam
Inside drawstring.
2" gold block letters on back – Last Name

STYLE#: 6477

Navy Flex- fit 6-panel cap: 83% acrylic, 15% wool, 2% spandex.
Rounded athletic shaped crown.
Spandex sweatband
8 rows of stitching on visor
Sewn eyelets
Stretches to fit most heads.

OFFICE OF THE PROSECUTOR

P.O. BOX 8068

TRENTON, NEW JERSEY 08650-0068

CONTACT PERSON: MERECIS DIAZ: 609-989-6528

It is the intent of the Office of the County of Mercer to purchase uniforms for the Mercer Prosecutor's Office from a single vendor. All bid prices must include alterations, fittings and sewing on of patches. The awarded vendor will supply patched. Garments not properly sewn, tailored and pressed will not be accepted. The contractor will be responsible for delivering the uniforms, clothing and footwear to the County of Mercer and ensuring the uniforms, clothing and footwear are fitted correctly. All hanging garments must be delivered on hangers. All hanging garments must be delivered on hangers.

VENDOR GENERAL REQUIREMENTS

Brands are to be interpreted as brand name or equivalent. Clothing must be delivered within two (2) weeks of receipt of purchase order. Facility must have a full tailor shop on premises. Vendor must supply all patches at no additional charge. Vendor must keep supply of Mercer County patches in stock. Vendor must supply all badges and nametapes at no additional charge. All prices must include shipping and freight charges. No additional payment will be made for this service.

5.11: 3-in-1 PARKA

STYLE NO. : 48001

FABRIC TYPE: COAT

Shell: 100% Nylon FD (main body), Hammerhead Polyester (front/back pull-out flaps)

Lining and Pocketing: 100% Nylon Taffeta, 210T (body, sleeve, hood, collar and outside chest pocketing), 100% Nylon Hydroplus (lower front/back lining), Polyester brushed Tricot (pocketing), Loop Knit 105047 Rip & Grip (Inside Lining for vertical chest pockets (bottom pockets only),

5.11 5- in -1 JACKET

STYLE NO.: 48017

FABRIC TYPE: OUTER JACKET/COAT

Shell: 100% Nylon FD, 143 g/m², with clear lamination. Lining/Pocketing: 100% Polyester Taffeta (top body, sleeve, horizontal chest pocket bag, inside chest pocket bag, back lower pocket bag, document pocket top lining, hood stow away pocket lining inside collar.); 100% Polyester Taffeta with PU coating (lower inside body, hood); Vendor must provide a Police Identification panel on the coat.

OTHERS: Polyester Brushed Tricot (front hand pockets and inside collar, inside fly) Fleece Jacket:

SHELL: 100% Polyester Fleece, 2 sided brushed fabrics with anti-pilling on 2 sides, Wind Resistant by construction, 350 g/m²

LINING/POCKETING: 100% Polyester Taffeta (inside body & sleeve, chest pocket lining); 100% Polyester Taffeta with PU coating (armhole facing, side zipper facing & side tab facing)

FLEECE JACKET (CAN BE WORN SEPARATELY)

Shell - 100% Polyester Fleece Wind Resistant

Lining: 100% Nylon Taffeta, 210T (main body and sleeves), 100% Taslon Nylon, 145Tx50T/70Dx320D, Polyester Brushed Tricot (bottom layer of hand warmer pocket bags, inside pocket, inside chest pocket), 100% Nylon Hydroplus (lower front/back lining), 127g/m² with PD + Water Repellent + PU clear coating (all other parts).

FEATURES & BENEFITS: The 3-in-1 Parka features the 100% Nylon FD which delivers an exceptional warmth and waterproof-breathable versatility. The 100% Nylon Taffeta offers a windproof and breathable lining. The 100% Polyester Fleece Jacket/wind resistant

WATER RESISTANT: Waterproof treated fabrics with especially designed zippers, closures and seams completely seal out water and rain. Outer Pockets: 12 – Space for hand warming and storage. Back-Up Belt System rounds out this great parka and offers ability to carry additional gear. The jacket is made of abrasion resistant lower lining on coat and shoulder, elbows and lower inside lining of fleece jacket.

DESIGN: The jacket shall incorporate twelve pockets as described below. It comes with a removable hood with zipper; and two-way #5 side zippers that

permit armpit ventilation. This jacket has hook and loop cuff tab adjustments and a 2-way center front zipper. There must be 2 mic loops at each front shoulder and hidden mic pass-through area near back vent. Designed with drawcord hem which seals out weather and adjust custom fit.

FLEECE JACKET CONT'D

POCKET DESIGN:

The jacket is made with twelve (12) pockets -- BBS pockets in two (2) vertical front chest; two (2) horizontal chest pockets – the left has a pull-out badge holder and identification panel, the right has a pull-out identification panel and extra badge tab; two (2) fleece lined front hand pockets with hidden hem adjustments inside; two (2) zippered sleeve pockets, two (2) interior chest pockets, one (1) rear stow pocket, and one (1) pull-out panel pocket at upper back.

The two vertical front lined pockets with the 5.11 Back-up-Belt System, a hook and loop material. The Velcro serves as a mounting surface for 5.11's Velcro based accessories Pouches.

The rear stow pocket carries an ANSI II reflective vest. The pocket at upper back has a pull out identification panel for embroidery/printing of POLICE, FIRE, etc. as desired; size is 11" wide by 5" tall.

The fleece jacket can be worn separately. It comes with two (2) had pockets; two (20 mic loops at each front shoulder. There is one (1) inner security pocket and one (1) inner stash pocket. The sleeves are Taffeta lined. It comes with two-way side zippers. There are tabs to attach the zip-out jacket to the shell jacket at the cuffs and center back neck. HOOD has a KK#3 separating, left insert zipper with woven tape. Others include a locking zipper providing armpit ventilation; and a two-way front zipper.

FINISHING STITCHING: Seam sealed construction, with fully covered pockets, single needle detail stitching. Reinforced and bar tacked pocket edges and zipper ends, fully lined shell body, hand warmer pocket bags and inner fleece yokes.

LABELS: Jackets have a care label, size label, country of origin and fiber content label permanently attached to the garment.

CLOSURES: YKK zippers, VELCRO Hook and Loop PRYM Snap – Plastic Cap Snap

STOCK SIZES: EXTRA-SMALL, SMALL, MEDIUM, LARGE, EXTRA LARGE, 2 XL, 3XL, 4XL

COLORS: Black, Range Red and Dark Navy

ANSI 207 VEST

FEATURES & BENEFITS: The 5-in-1 Parka features the 100% Nylon FD which delivers an exceptional warmth and waterproof-breathable versatility. The 100% Polyester Taffeta offers a breathable lining. The 100% Polyester Fleece Jacket is wind resistant.

Water Resistant: Waterproof treated fabrics with especially designed zippers, closures and seams completely seal out water and rain.

Outer Pockets: 11 – Space for hand warming and storage.

Back-Up Belt System rounds out this great parka and offers ability to carry additional gear.

The jacket is made of abrasion resistant lower lining on coat and shoulder, elbows and lower inside lining of fleece jacket.

DESIGN: The jacket shall incorporate eleven pockets as described below. It comes with a removable hood with zipper; and side zippers that can accommodate a sidearm. This jacket has hook and loop cuff tab adjustments and a 2-way center front zipper.

There is a zipper at upper back which has a pull out identification panel for embroidery/printing of POLICE, FIRE, etc. as desired; size is 13" wide by 5" tall.

POCKET DESIGN:

The jacket is made with eleven (11) pockets -- BBS pockets in two (2) vertical front chest; two (2) horizontal chest pockets – the left has a pull-out badge holder, the right has a pull-out identification panel; two (2) fleece lined front hand pockets; two (2) zippered sleeve pockets, two (2) interior chest pockets, and one (1) rear stow pocket. The two vertical front lined pockets with the 5.11 Back-up-Belt System, a hook and I loop material. The Velcro serves as a mounting surface for 5.11's Velcro based Accessories Pouches. The rear stow pocket carries an ANSI II reflective vest.

FLEECE LINER

The fleece liner can be worn separately. It comes with two (2) hand pockets; two (20 mic loops at each front shoulder. There is one (1) inner security pocket and one (1) inner stash pocket. The sleeves are Taffeta lined and can be removed using zippers at the armholes. It comes with side zippers to accommodate a sidearm. There are tabs to attach the zip-out jacket to the shell jacket at the cuffs and center back neck.

STITCHING & FINISHING: Fully seam sealed shell, over locked seams with single needle details stitching, bar tacks to reinforce seams and pocket corners.

LABELS: Jackets have a care label, size label, country of origin and fiber content label permanently attached to the garment.

CLOSURES: YKK zippers, VELCRO Hook and Loop
PRYM Snap – Plastic Cap Snap

STOCK SIZES: EXTRA-SMALL, SMALL, MEDIUM, LARGE, EXTRA LARGE, 2 XL, 3XL, 4XL

COLOR: BLACK DARK NAVY BROWN FOREST GREEN

BOOTS

STYLE# 43013

DESCRIPTION: STRIKER II GTX

Features: Durable, quick to polish full-grain leather and breathable 1000Denier nylon upper. Terra Force X lite platform for a lightweight fit with durability and

traction and maneuverability. Oil and slip resistant Danner TFX lite outside that give stability and grip without weight.

SIZES: 3 -12,13,14,15,16D ; 3-12,13,14,15,16EE

LINING: Gore-Tex

SHANK: Nylon

MEN TACLITE PRO PANTS

STYLE NO. 74273

28-44 Waist, even inseams 30-36 (select colors, Black, Green, Khaki and Dark Navy) Fade resistance. Made with 6.14 oz., 65% polyester/35% cotton rip-stop, Imported. Teflon treated for soil and stain resistance, Trademarked rear strap and slash pockets, double-reinforced seat and knees, quick-access multipurpose pocket, fade and wrinkle-resistant, genuine YKK zippers, Prym snaps

WOMEN'S TACLITE PRO PANT

STYLE NO. 74273

2-20 Reg 30-32" /Long 34-36", Black, Khaki, Green, Dark Navy

THE BADGE ON ALL THE FOLLOWING SHALL BE EMBROIDERED

MEN'S 5.11 SHORT SLEEVE PROFESSIONAL POLO

XS-3XL (White, Heather Grey, Black, Silver Tan, Range Red and Academy Blue, Dark Navy, LE Green; this polo is made with a durable yet-soft 100% cotton 6.8 oz. pique knit that is treated to retain color and provide wash-and-wear ease. Badge shall be embroidered. Stay-flat, no-roll collar, dual pen pockets on left sleeve, wrinkle, shrink and fade resistant – L chest

MEN'S TALL 5.11 SHORT SLEEVE PROFESSIONAL POLO

L-5XL Tall, Heather Grey, Black, Silver Tan, Dark Navy, embroidered badge

WOMEN'S 5.11 SHORT SLEEVE PROFESSIONAL POLO

S-XL, Dark Navy, White, Black, Silver Tan, embroidered badge

MEN'S 5.11 LONG SLEEVE PROFESSIONAL POLO

STYLE NO. 41060

XS-3XL, White, Heather Grey, Black Silver Tan, Range Red, Academy Blue, Dark Navy, LE Green 860, embroidered badge

MEN'S TALL LONG SLEEVE PROFESSIONAL POLO

STYLE NO. 41060

L-5XL Tall, Heather Grey, Black, Silver Tan, Dark Navy, embroidered badge